

FUJIDENZO

Quality Above All

Upgrade Your Home. Upgrade Your Business.



Fujidenzo is committed to providing high-quality and energy-efficient appliances for long-term investment.

HOME & COMMERCIAL APPLIANCES

www.fujidenzo.com

COMMERCIAL APPLIANCES

TRUSTED QUALITY FOR BUSINESS



DUAL FUNCTION

A special feature that allows you to use your FREEZER as a CHILLER



FAST FREEZE

Freezing at its finest. Get your food & products to freeze at the fastest time possible.



INVERTER SOLID TOP CHEST FREEZER / CHILLER WITH SLIDING GLASS COVER INSIDE



- Energy-Efficient HD Inverter Compressor
- Front Temperature Control
- LED Light
- Key Lock
- Roller Feet
- Silver Color

WITH TWO HUGE COOLING PADS



Maintain coldness during power outage for up to 10 hours!



IFCG-75 PDF SL
7 cu.ft. • 100 Watts
Dimensions (h:w:d)
85 : 88.5 : 61 cm



IFCG-95 PDF SL
9 cu.ft. • 100 Watts
Dimensions (h:w:d)
85 : 105 : 61 cm



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER CHEST FREEZER / CHILLER



- Energy-Efficient HD Inverter Compressor
- Galvanized Interior
- Key Lock
- Roller Feet



IFC-35 GDF
3.5 cu.ft. • 80 Watts
Dimensions (h:w:d)
85 : 55 : 55 cm
• Electronic Control
• Recessed Handle



IFC-50 GDF
5.0 cu.ft. • 95 Watts
Dimensions (h:w:d)
85 : 71 : 55 cm
• Electronic Control
• Glass Cover Inside
• Recessed Handle



IFC-70 GDF
7.0 cu.ft. • 135 Watts
Dimensions (h:w:d)
85 : 91 : 55 cm
• Electronic Control
• Glass Cover Inside
• Recessed Handle



IFC-90 GDF
9.0 cu.ft. • 140 Watts
Dimensions (h:w:d)
85 : 96 : 62 cm
• Glass Cover Inside
• Digital Temperature Control with LCD Display



IFC-110 GDF
11 cu.ft. • 155 Watts
Dimensions (h:w:d)
91 : 112 : 70 cm
• Glass Cover Inside
• Digital Temperature Control with LCD Display



IFC-140 GDF
14 cu.ft. • 180 Watts
Dimensions (h:w:d)
85 : 130 : 70.5 cm
• Electronic Control



IFC-17 GDF
17 cu.ft. • 190 Watts
Dimensions (h:w:d)
84.2 : 152.3 : 72.5 cm
• Digital Temperature Control with LCD Display



IFC-20 ADF2
20 cu.ft. • 190 Watts
Dimensions (h:w:d)
91 : 185 : 73 cm
• Aluminum Interior
• Digital Temperature Control with LCD Display



IFC-26 GDF
26 cu.ft. • 355 Watts
Dimensions (h:w:d)
90 : 198.5 : 86 cm
• Digital Temperature Control with LCD Display

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

Quality Trusted by Major Processed Meat, Chicken, Ice Cream, Fruits, and Beverage Companies



INVERTER SOLID TOP CHEST FREEZER / CHILLER WITH SLIDING GLASS COVER INSIDE

HD INVERTER DUAL FUNCTION

- Energy-Efficient Inverter Compressor
- Digital Temperature Control
- Key Lock
- Roller Feet
- White Body with Light Gray Trim

IFCP-48GDF
4.8 cu. ft. • 85 Watts
Dimensions (h:w:d)
84.8 : 63.2 : 55.4 cm

WITH TWO HUGE COOLING PADS

Maintain coldness during power outage for up to 10 hours!



IFCP-68GDF
6.8 cu. ft. • 90 Watts
Dimensions (h:w:d)
84.8 : 81.6 : 55.4 cm



BROWNOUT BUSTER

IFCP-88GDF
8.8 cu. ft. • 100 Watts
Dimensions (h:w:d)
84.8 : 91.2 : 56 cm



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

SOLID TOP CHEST FREEZER / CHILLER

DUAL FUNCTION

- Energy-Efficient Compressor
- Front Temperature Control
- Galvanized Interior
- Key Lock
- Roller Feet



FC-18 ADF2
18 cu.ft. • 305 Watts
Dimensions (h:w:d)
91 : 166.5 : 73 cm
• Aluminum Interior



FC-22 GDF2
22 cu.ft. • 355 Watts
Dimensions (h:w:d)
91 : 198 : 73 cm

FC-29 ADF2
29 cu.ft. • 355 Watts
Dimensions (h:w:d)
92 : 244 : 74 cm
• Aluminum Interior



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

SLIDING GLASS TOP CHEST FREEZER / CHILLER

DUAL FUNCTION

- Energy-Efficient Compressor
- Front Temperature Control
- Key Lock
- Roller Feet



IFD-70 GDF2
7 cu.ft. • 170 Watts
Dimensions (h:w:d)
83 : 94.5 : 61 cm
• Galvanized Interior



FD-10 GDF
10 cu.ft. • 253 Watts
Dimensions (h:w:d)
82.5 : 101.4 : 69.4 cm
• Galvanized Interior



IFD-18 GDF2 18 cu.ft. • 330 Watts
Dimensions (h:w:d) 82.5 : 166.4 : 69.4 cm
• Galvanized Interior

HD INVERTER

IFD-22 GDF2 22 cu.ft. • 330 Watts
Dimensions (h:w:d) 85.1 : 180 : 67 cm
• Galvanized Interior



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER CURVED GLASS TOP FREEZER / CHILLER

HD INVERTER DUAL FUNCTION

- Energy-Efficient Compressor
- Heavy Duty
- Temperature Indicator
- Special Design
- LED Lights
- Extra-Large Roller Feet



IFSP-10GDF
10 cu.ft. • 253 Watts
Dimensions (h:w:d) 84 : 99 : 67 cm
• 3 Full-Wire Baskets



IFSP-14GDF
14 cu.ft. • 253 Watts
Dimensions (h:w:d) 85 : 131.5 : 69.5 cm
• 6 Full-Wire Baskets

Supermarket PREMIUM MODEL

IFSP-18GDF3
18 cu.ft. • 330 Watts
Dimensions (h:w:d)
95.5 : 162 : 71.5 cm
• 6 Full-Wire Baskets



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

SUBZERO CHILLER

- Energy-Efficient Compressor
- 5 Special Beverage Baskets
- Blower Fan
- Dual Function (temperature can be set ranging from +10° to -40° Celsius)
- Outside Back Condenser

FBS-970 ADF
9 cu.ft.
70-Bottle Capacity
180 Watts
Dimensions (h:w:d)
85 : 90 : 60 cm

DIGITAL TEMPERATURE CONTROL
with LCD Display



INVERTER DUAL COMPARTMENT FREEZER & CHILLER



IFRC-100 G
Total Capacity : 10 cu.ft.
Freezer Capacity : 7 cu.ft.
Chiller Capacity : 3 cu.ft.
142 Watts
Dimensions (h:w:d)
80.5 : 121 : 65.5 cm



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER UPRIGHT FREEZER

*can freeze up to
85 bags for 24 hours



Ideal for
**ICE MAKING
BUSINESS**



IUF-70S

7 cu.ft. • 240 Watts
Dimensions (h:w:d)
144 : 55 : 55.5 cm

- Energy-Efficient HD Inverter Compressor
- R600A Refrigerant
- Direct Cooling
- 6 Evaporator Shelves with Metal Cover (for added protection)
- 1 Bottom Drawer & 3 Door Bins
- Outside Back Condenser
- Foam-in-Place Insulation Door
- Recessed Handle
- Stainless Look Door



ICE-105KR

10.5 cu. ft.
Dimensions (h:w:d)
171 : 59.5 : 58 cm

- Energy-Efficient HD Inverter Compressor
- Direct Cooling
- Superior Freezing Performance
- 8 Freezing Layers
- Durable Door Shelves
- More Cooling Coils
- Foam-in-Place Insulation Door
- Key Lock
- Dark Titanium



INFU-110S

11 cu.ft. • 140 Watts
Dimensions (h:w:d)
185 : 60 : 68.5 cm

- Tempered Glass Shelves
- 3 Bottom Drawers
- 1 Sliding Drawer

INFU-210SSDF

21 cu.ft. • 230 Watts
Dimensions (h:w:d)
194 : 83 : 79 cm

- Wire Shelves
- 1 Bottom Drawer

DUAL FUNCTION

- No Frost
- Energy-Efficient HD Inverter Compressor
- R600A Refrigerant
- Stainless Steel

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

UPRIGHT FREEZER

- Direct Cool
- Energy-Efficient Compressor
- 4 Drawer Shelves
- Key Lock



UF-35 S2

3.5 cu.ft. • 90 Watts
Dimensions (h:w:d)
85 : 55 : 58 cm

NO-FROST UPRIGHT FREEZER



NFU-140 SS DF

14 cu.ft. • 130 Watts
Dimensions (h:w:d)
158 : 73 : 82 cm

DUAL FUNCTION

- No Frost
- Energy-Efficient Compressor
- Quick Freeze Function
- 3 Heavy-Duty Wire Shelves
- 1 Tempered Glass Shelf
- 1 Bottom Drawer
- Door Alarm
- Automatic Lock
- Heavy Duty
- Elegant Design

NO-FROST SHOWCASE FREEZER



SF-170 I

17 cu.ft. • 610 Watts
Dimensions (h:w:d)
201.5 : 68 : 81.5 cm



SFD-280I

28 cu.ft. • 1500 Watts
Dimensions (h:w:d)
201.5 : 122 : 69.3 cm

- No Frost
- Heavy-Duty Quality
- Heated Glass Door to prevent moisture
- Triple Pane Glass Door with Heat Film
- Adjustable Metal Shelves
- Turbo Blower Fan
- Digital Temperature Control
- LED Lights
- Key Lock
- Price Tag Shelves

- Dual Compressor

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

WINE COOLER

- Energy-Efficient Compressor
- Temperature: 6 to 18° C
- Anti-Bacterial Lining
- External Electronic Control
- Wooden Shelves
- Roller Feet



WC-120 AW

120-Bottle Capacity
140 Watts
Dimensions (h:w:d)
186 : 63 : 66 cm

WC-70 AW

70-Bottle Capacity
125 Watts
Dimensions (h:w:d)
127 : 63 : 66 cm

CHILLER WITH FREEZER TOP



With Freezer
Compartment

- Energy-Efficient Compressor
- Big Freezer Space
- 7-Level Temp. Control
- Double Glass Door
- Key Lock
- Price Tag Shelves

SUF-100 A

Total Capacity: 10 cu.ft.
Freezer: 3 cu.ft.
Chiller: 7 cu.ft.

175 Watts
Dimensions (h:w:d)
171 : 59 : 61 cm

INVERTER STACKED SHOWCASE



ISUC-150 GDF

Total Capacity: 15 cu.ft.
Top : 5 cu.ft. Chiller
Bottom : 10 cu.ft. Curved Glass
Dual Function Freezer or Chiller

330 Watts
Dimensions (h:w:d)
188 : 99 : 70 cm

- Energy-Efficient HD Inverter Dual Compressors
- Galvanized Interior
- Double Temperature Control
- Top & Bottom LED Lamps
- 6 Adjustable Wire Shelves (chiller)
- 3 Wire Baskets (curved glass freezer)
- Lighted Panel
- Roller Feet
- Price Tag Shelves

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER SHOWCASE CHILLER



- Heavy-Duty Quality
- Energy-Efficient HD Inverter Compressor
- Blower Fan
- LED Light
- Key Lock (except ISU-45A)
- Fan on Glass Door
- Price Tag Shelves



- Moisture-Prevent Fan (except ISU-45A)

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service



ISU-45 A
4.5 cu.ft. • 100 Watts
Dimensions (h:w:d)
104 : 48 : 55 cm



ISU-70 A3
7 cu.ft. • 120 Watts
Dimensions (h:w:d)
154 : 53 : 58 cm



ISUP-85 H
8.5 cu.ft. • 210 Watts
Dimensions (h:w:d)
183.5 : 54 : 57.5 cm



ISUP-110 H
11 cu.ft. • 220 Watts
Dimensions (h:w:d)
201.5 : 54 : 61.5 cm



ISUP-120 H
12 cu.ft. • 230 Watts
Dimensions (h:w:d)
185.3 : 60 : 67.5 cm



ISU-143 A3
14 cu.ft. • 190 Watts
Dimensions (h:w:d)
209 : 66.5 : 58 cm

SHOWCASE CHILLER

- Energy-Efficient Compressor
- 7-Level Temperature Control
- Double Glass Door
- Blower Fan
- LED Light
- Key Lock (except: SU-35 A2)
- Price Tag Shelves



SU-35 A2
3.5 cu.ft. • 100 Watts
Dimensions (h:w:d)
85 : 49 : 56 cm



SU-70 A2
7 cu.ft. • 113 Watts
Dimensions (h:w:d)
154 : 53 : 58 cm



SU-90 A2
9 cu.ft. • 120 Watts
Dimensions (h:w:d)
179 : 53 : 58 cm



SU-110 A
11 cu.ft. • 167 Watts
Dimensions (h:w:d)
186 : 60 : 63 cm



SU-140 A
14 cu.ft. • 190 Watts
Dimensions (h:w:d)
209 : 66.5 : 58 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

MULTI-DOOR SHOWCASE CHILLER



DIGITAL TEMPERATURE CONTROL
with LCD Display

- Energy-Efficient Compressor
- Double Blower Fan
- Padlock Provision
- Price Tag Shelves

SUD-220 A 2 Doors
22 cu.ft. • 210 Watts
Dimensions (h:w:d)
202 : 122 : 59 cm

SUT-290 A 3 Doors
29 cu.ft. • 320 Watts
Dimensions (h:w:d)
190 : 143 : 62 cm



DIGITAL TEMPERATURE CONTROL
with LCD Display

- Heavy-Duty Quality
- Energy-Efficient HD Inverter Compressor
- No Frost
- Fan on Glass Door
- Moisture-Prevent Fan
- Price Tag Shelves
- Key Lock

ISUP-260I 2 Doors
26 cu.ft. • 420 Watts
Dimensions (h:w:d)
199.5 : 115 : 65.5 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER MULTI-DOOR SHOWCASE CHILLER

REFRIGERATION

Trusted quality for home & business

INVERTER SIDE-BY-SIDE REF



NO FROST

- Energy-Efficient Inverter Compressor
- HD Inverter No-Frost Refrigerator
- Digital Temperature Control w/ LCD Display
- Quick Freeze and Quick Chill Mode
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust and stain resistant)
- Vacation Mode
- Eco-LED Lights (interior)
- Child Lock
- Stainless Steel



IST-24 SSDF

Net Capacity: 637 L • 150 Watts
Dimensions (h:w:d) 183 : 92 : 72 cm

- **Convertible Chamber**
(Lower Right Door) Temperature can be set ranging from +8° to -4° Celsius



ISR-22WD

Net Capacity: 602 L • 260 Watts
Dimensions (h:w:d) 177.5 : 91 : 69.8 cm

- **With Water Dispenser (3L)**
- **Wine/Beverage Shelf**
- **3 Twist Ice Trays & Ice Cube Container**
- **Dark Titanium**



ISR-20DS

Net Capacity: 555 L • 170 Watts
Dimensions (h:w:d) 179.3 : 91 : 69.8 cm

- **Wine/Beverage Shelf**
- **3 Twist Ice Trays & Ice Cube Container**
- **Dark Titanium**



ISR-17 WSS

Net Capacity: 442 L
150 Watts
Dimensions (h:w:d) 178 : 90 : 59 cm

WARRANTY: 2-Year on Parts / 1-Year on Service

INVERTER MULTI-DOOR REF



NO FROST

- 4-Door HD Inverter No-Frost Refrigerator
- Bottom Freezers
- Energy-Efficient Inverter Compressor
- Digital Temperature Control with LCD Display
- Quick Freeze and Quick Chill Mode
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust and stain resistant)
- Twist Ice Trays and Ice Cube Container
- Vacation Mode
- Eco-LED Lights (interior)
- Child Lock
- Recessed Handle



IFR-22HB

Net Capacity: 608 L • 150 Watts
Dimensions (h:w:d) 190 : 91 : 69 cm

- **Black Stainless Steel**



IFR-19HB

Net Capacity: 466 L • 180 Watts
Dimensions (h:w:d) 180 : 79.5 : 74 cm

- **Dark Titanium**



IFR-15HB

Net Capacity: 424 L • 180 Watts
Dimensions (h:w:d) 180 : 79.5 : 70 cm

- **Dark Titanium**



IFR-12 HB

Net Capacity: 320 L • 150 Watts
Dimensions (h:w:d) 185.5 : 64 : 69 cm

- **Black Stainless Steel**

WARRANTY: 2-Year on Parts / 1-Year on Service

INVERTER FRENCH DOOR REF

WARRANTY: 5-Year on Compressor

INVERTER BOTTOM-MOUNT REF



NO FROST

- Energy-Efficient Inverter Compressor
- HD Inverter No-Frost Refrigerator
- Bottom Freezer
- Triple Bottom Freezer Drawers
- Fresh Zone Drawers (Crisper)
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust and stain resistant)
- Eco-LED lights
- Recessed Handle
- Stainless Steel Finish
- Reversible Door



IBM-12SS2

Net Capacity: 323 L • 140 Watts
Dimensions (h:w:d) 185 : 60 : 68.5 cm



IBM-90SS2

Net Capacity: 255 L • 140 Watts
Dimensions (h:w:d) 181 : 54.5 : 60 cm

- **4 Bottom Drawers**



FROSTLITE

- Energy-Efficient Inverter Compressor
- Advanced FrostLite Technology
- Eco-LED Lights
- Triple Bottom Freezer Drawers
- Spill-Proof Tempered Glass Shelves
- Recessed Handle
- Dark Titanium Textured Body

Advanced FrostLite™ TECHNOLOGY

Combines the benefits of No Frost & Direct Cool



IBM-80MS

Net Capacity: 227 L • 90 Watts
Dimensions (h:w:d) 159.3 : 54 : 55 cm



IBM-90SS consumes only Php 4.38 electricity cost per day or Php 131.40 per month.

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service



INVERTER NO-FROST REF



NO FROST

- Energy-Efficient Inverter Compressor
- HD Inverter No-Frost Refrigerator
- Smart Cooling
- With Twist Ice Tray (except INR-128 S)
- Fresh Zone Crisper with Humidity Control
- Quick Chill Compartment (except INR-70MS)
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust & stain resistant)
- Eco-LED lights
- Recessed Handle
- Dark Titanium Body (except INR-128 S)
- Reversible Door



INR-128 S
Net Capacity: 334 L
140 Watts
Dimensions (h:w:d)
170 : 60 : 66.5 cm



INR-103 HS
Net Capacity: 247 L • 140 Watts
Dimensions (h:w:d)
171.2 : 57.5 : 59 cm

- Wire Shelves for Ref Section



INR-83 HS
Net Capacity: 197 L • 140 Watts
Dimensions (h:w:d)
142.5 : 54.5 : 56 cm



INR-70 MS
Net Capacity: 201 L • 89 Watts
Dimensions (h:w:d)
146.5 : 54.5 : 59 cm

- Wire Shelves for Ref Section



INR-65 HS
Net Capacity: 181 L • 130 Watts
Dimensions (h:w:d)
134 : 55 : 56 cm



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER TWO-DOOR DIRECT COOL REF



DIRECT COOL

- Energy-Efficient Inverter Compressor
- HD Inverter Direct Cool Refrigerator
- R600A Refrigerant
- Clean Back Design
- Big Freezer Space
- Recessed Handle
- Reversible Door
- Wire Shelves
- Equipped with Cooling Pads (Freezer Section)



IRD-90MS
Net Capacity: 231 L
87 Watts
Dimensions (h:w:d)
170 : 51.5 : 51 cm

IRD-80MS
Net Capacity: 200 L
84 Watts
Dimensions (h:w:d)
148 : 51.5 : 53.5 cm

IRD-65MS
Net Capacity: 168 L
70 Watts
Dimensions (h:w:d)
148.2 : 47 : 49.8 cm

- Energy-Efficient Compressor
- R600A Refrigerant
- Clean Back Design



RDD-80 S
Net Capacity: 200 L
97 Watts
Dimensions (h:w:d)
148 : 51.5 : 55.4 cm

- Space Saver
- Big Freezer Space
- Stainless Look
- Reversible Door
- Wire Shelves

RDD-70 S
Net Capacity: 165 L
100 Watts
Dimensions (h:w:d)
150 : 47 : 49 cm

- Tempered Glass Shelves
- Hardtop Design

RDD-60 S
Net Capacity: 134 L
125 Watts
Dimensions (h:w:d)
137 : 47 : 49 cm

RDD-50 S
Net Capacity: 125 L
110 Watts
Dimensions (h:w:d)
116 : 48 : 53 cm



*Based on Meralco Power Lab tests at "Mid" temperature control settings



IRS-68PGD
Net Capacity: 177 L • 60 Watts
Dimensions (h:w:d) 123 : 53 : 58 cm

DIRECT COOL

- Energy-Efficient Inverter Compressor
- HD Inverter Direct Cool Refrigerator
- R600A Refrigerant
- Tempered Glass Shelves
- Big Freezer Space
- Push Button Defrost
- Black Glass Door

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER TWO-DOOR REF & BAR FRIDGE



IRD-35G
Net Capacity: 87 L • 80 Watts
Dimensions (h:w:d)
85 : 47 : 51 cm

- Tempered Glass Shelves
- Dark Titanium
- Big Freezer Space



IRB-40 MKS
Net Capacity: 89 L
70 Watts
Dimensions (h:w:d)
86 : 47.2 : 45 cm

- Energy-Efficient Inverter Compressor
- Stainless Door Finish
- Wide Voltage Range
- Tempered Glass Shelves (except IRB-18 MKS)
- Key Lock



IRB-30 MKS
Net Capacity: 67 L
70 Watts
Dimensions (h:w:d)
63 : 44.5 : 51.5 cm



IRB-18 MKS
Net Capacity: 44 L
70 Watts
Dimensions (h:w:d)
49.2 : 47.2 : 45.5 cm

- Energy-Efficient Compressor
- Space Saver
- Big Freezer Space



RBT-35 SL
Net Capacity: 87 L • 80 Watts
Dimensions (h:w:d)
85 : 47.5 : 50.5 cm

- Hardtop Design
- Key Lock
- Tempered Glass Shelf
- Stainless Look Door



RDD-35 T
Net Capacity: 87 L • 80 Watts
Dimensions (h:w:d)
85 : 47.5 : 50.5 cm

- Wire Shelf
- Titanium Color



- Energy-Efficient Compressor
- Stainless Door Finish
- R600A Refrigerant
- Reversible Door



RB-18 HS
Net Capacity: 46 L
61 Watts
Dimensions (h:w:d)
52 : 44 : 47 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

TWO-DOOR REF & BAR FRIDGE

All 3.5 cu.ft. models consume only Php 4.11 electricity cost per day or Php 123.30 per month.

KITCHEN

A sophisticated kitchen upgrade

Stainless Steel
Cooktop



Double Glass
Mirror Oven
Door



Extra Large &
Easy-to-Clean
Oven



Adjustable
Leveling Feet



Thermostat
Control



Powerful
Burners



Tempered Glass
Top Cover



Metal
Hinges



Minute
Minder



COOKING RANGE

**MATTE
BLACK
SERIES**

STAIN & SCRATCH RESISTANT




FGR-9650VTRGMB

90 cm

Dimensions (h:w:d)
90 : 90 : 65 cm

- 5 Gas Burners
- Cast Iron Gas Griddle (Center)
- Cast Iron Pan Support
- Wok Burner & Wok Adapter
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-6640VTRCMB

60 cm

Dimensions (h:w:d)
90 : 60 : 61 cm

- 4 Gas Burners
- Cast Iron Pan Support
- Wok Burner
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-5530VTRMB

50 cm

Dimensions (h:w:d)
90 : 50 : 61 cm

- 3 Gas Burners
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Gas Oven & Gas Grill
- Oven Lamp

Also Available:

FGR-5530VTMB

- 3 Gas Burners
- Oven Safety Valve
- Thermostat Controlled Oven
- Gas Oven
- Oven Lamp




FGR-9641VCTRM

90 cm

Dimensions (h:w:d)
90 : 90 : 65 cm

- 4 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Gas Tank Compartment
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-6631VTRMB

60 cm

Dimensions (h:w:d)
90 : 60 : 61 cm

- 3 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-5521VTRMB

50 cm

Dimensions (h:w:d)
90 : 50 : 61 cm

- 2 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Gas Oven & Gas Grill
- Oven Lamp

Also Available:

FGR-5521VTMB

- 2 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Gas Oven
- Oven Lamp



WARRANTY: 2-Year on Parts / 1-Year on Service

RANGE HOOD

**MATTE
BLACK
SERIES**

STAIN & SCRATCH RESISTANT



RHU902 MB (Matte Black)

90 cm

Extraction Capacity: 400 m³ / hr

Dimensions (h:w:d): 10 : 89.6 : 48.5 cm

- Double Turbo Motor Hood
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal and Aluminum Filters
- Slim-Type Modern Design
- Scratch Resistant
- With Front Glass



RHU602 MB (Matte Black)

60 cm

Extraction Capacity: 400 m³ / hr

Dimensions (h:w:d): 9 : 59.6 : 48 cm

- Double Turbo Motor Hood
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal and Aluminum Filters
- Slim-Type Modern Design
- Scratch Resistant
- With Front Glass



RHU601 MB (Matte Black)

60 cm

Extraction Capacity: 250 m³ / hr

Dimensions (h:w:d): 9 : 59.6 : 48 cm

- Single Turbo Motor Hood
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal and Aluminum Filters
- Slim-Type Modern Design
- Scratch Resistant

WARRANTY: 2-Year on Parts / 1-Year on Service

KITCHEN

A sophisticated kitchen upgrade

Stainless Steel Cooktop



Double Glass Mirror Oven Door



Extra Large & Easy-to-Clean Oven



Adjustable Leveling Feet




Thermostat Control



Powerful Burners



Tempered Glass Top Cover



Metal Hinges



Minute Minder




COOKING RANGE



FGR-9650VTRGMB
90 cm
Dimensions (h:w:d)
90 : 90 : 65 cm

- 5 Gas Burners
- Cast Iron Gas Griddle (Center)
- Cast Iron Pan Support
- Wok Burner & Wok Adapter
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-6640VTRCMB
60 cm
Dimensions (h:w:d)
90 : 60 : 61 cm

- 4 Gas Burners
- Cast Iron Pan Support
- Wok Burner
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-5530VTRMB
50 cm
Dimensions (h:w:d)
90 : 50 : 61 cm

- 3 Gas Burners
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Gas Oven & Gas Grill
- Oven Lamp

Also Available:


FGR-5530VTMB

- 3 Gas Burners
- Oven Safety Valve
- Thermostat Controlled Oven
- Gas Oven
- Oven Lamp



FGR-9641VCTRMB
90 cm
Dimensions (h:w:d)
90 : 90 : 65 cm

- 4 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Gas Tank Compartment
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-6631VTRMB
60 cm
Dimensions (h:w:d)
90 : 60 : 61 cm

- 3 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-5521VTRMB
50 cm
Dimensions (h:w:d)
90 : 50 : 61 cm

- 2 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Gas Oven & Gas Grill
- Oven Lamp

Also Available:

FGR-5521VTMB

- 2 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Gas Oven
- Oven Lamp



RANGE HOOD



RHU902 MB (Matte Black)
90 cm
Extraction Capacity: 400 m³ / hr
Dimensions (h:w:d): 10 : 89.6 : 48.5 cm

- Double Turbo Motor Hood
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal and Aluminum Filters
- Slim-Type Modern Design
- Scratch Resistant
- With Front Glass



RHU602 MB (Matte Black)
60 cm
Extraction Capacity: 400 m³ / hr
Dimensions (h:w:d): 9 : 59.6 : 48 cm

- Double Turbo Motor Hood
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal and Aluminum Filters
- Slim-Type Modern Design
- Scratch Resistant
- With Front Glass



RHU601 MB (Matte Black)
60 cm
Extraction Capacity: 250 m³ / hr
Dimensions (h:w:d): 9 : 59.6 : 48 cm

- Single Turbo Motor Hood
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal and Aluminum Filters
- Slim-Type Modern Design
- Scratch Resistant

MATTE
BLACK
SERIES

STAIN & SCRATCH RESISTANT

WARRANTY: 2-Year on Parts / 1-Year on Service

MICROWAVE OVEN

- Smart Wave System
- Defrost Function
- Modern and Elegant Design
- Dark Gray Cavity



MM-30 BL 28 Liters • 900 Watts
Dimensions (h:w:d) 30.5 : 51 : 43 cm

- Mechanical Knob

BIG CAPACITY

Based on the Meralco Power Lab tests at "High" setting, this Fujidenzo MM-22 BL model consumes only Php 0.71 electricity cost per 5-minute use or **only Php 0.14 per 1 minute.**



ME-20 SL 20 Liters • 1050 Watts
Dimensions (h:w:d) 25.9 : 44 : 35.9 cm

- Digital Control
- 9 Auto Cook Menu



MM-22 BL 20 Liters • 700 Watts
Dimensions (h:w:d) 25.5 : 43.3 : 37 cm

- Mechanical Knob

WARRANTY: 2-Year on Magnetron / 2-Year on Parts / 1-Year on Service

WATER DISPENSER



HD INVERTER

IFWD-1524B (Black)
Dimensions (h:w:d)
104 : 31 : 36 cm

- Bottom Load Water Gallon
- 2 Options: Hot & Cold
- Energy-Efficient Inverter Compressor
- Safety Child Lock (for hot button)
- With Water Pump
- Double Safety Device (to prevent overheating)
- Luxurious Design



FWD-1331 B (Black)
Dimensions (h:w:d)
100 : 31 : 36 cm

FWD-1331 W (White)
Dimensions (h:w:d)
100 : 31 : 36 cm

- Top Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- Transparent Front Cover (to protect the water faucet from insects)
- Double Safety Device (to prevent overheating)
- Luxurious Design
- With Spacious Cabinet

Transparent
Front Cover

To prevent insects, viruses,
& bacteria from reaching
the water faucet



FWD-1634 B (Black)
Dimensions (h:w:d)
106 : 32 : 39 cm

- Bottom Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- With Water Pump
- Double Safety Device (to prevent overheating)
- Luxurious Design



FWD-1524 W (White)
Dimensions (h:w:d)
104 : 31 : 36 cm

- Bottom Load Water Gallon
- 2 Options: Hot & Cold
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- With Water Pump
- Double Safety Device (to prevent overheating)
- Luxurious Design



FWD-1631 B (Black)
Dimensions (h:w:d)
101 : 32 : 37 cm

- Top Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- With Spacious Cabinet
- Double Safety Device (to prevent overheating)
- Luxurious Design



FWD-1031 B (Black)
Dimensions (h:w:d)
94 : 31.5 : 35 cm

- Top Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- Double Safety Device (to prevent overheating)
- Elegant Design



FWD-1021 W (White)
Dimensions (h:w:d)
92 : 28 : 32 cm

- Top Load Water Gallon
- 2 Options: Hot & Cold
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- Double Safety Device (to prevent overheating)
- Elegant Design



WD-102 B (Black)
Tabletop
Dimensions (h:w:d)
37.7 : 27 : 30.5 cm

- Top Load Water Gallon
- 2 Options: Hot & Normal
- Energy-Efficient Design
- Safety Child Lock (for hot button)
- Double Safety Device (to prevent overheating)
- Elegant Design

WARRANTY: 1-Year on Parts & Service

LAUNDRY

Keeps clothes clean & fresh

High Quality



Saves up to 25%
Detergent and Water



Thorough &
Intensive Washing



Reduces Drying Time



Odor-Free Clothes



USA DESIGN WASHER



Soft-Closing Tempered
Glass Cover



Direct Drive Motor

IUSW-1500M

15 kg **HD INVERTER WASHER**

Dimensions (h:w:d)

106.5 : 62 : 64 cm

- Energy-Efficient Inverter Motor
- Heavy-Duty Quality
- Fast Clean System (FCS)
- 10 Wash Programs
- Water Level Selection
- Delay-End Function
- Magic Filter
- Multi-Detergent Box (Powder, Liquid & Fabric Softener)
- Tub Clean
- Extra Rinse Option
- Inclined Control Panel
- Large Control Knob
- Stainless Steel Drum
- Child Lock
- Automatic Imbalance Correction
- Adjustable Feet
- Pump Drain System

FCS

FAST CLEAN SYSTEM

An advanced feature that shortens the total wash time by **up to 40%** while maintaining the same cleanliness result.

WARRANTY: 1-Year on Parts & Service

FRONT LOAD DRYER



DRI-801 WG

8 kg **ELECTRIC DRYER**

Dimension (h:w:d)

85 : 59.5 : 55 cm

- Clothes Ironing Technology
- Sensor Drying
- Quick Dry
- Energy-Efficient Motor
- Heavy-Duty Quality
- Stainless Steel Drum



CLOTHES IRONING TECHNOLOGY

Removes excess wrinkles on clothes so they come out fresh and ready to wear

INVERTER FRONT LOAD WASHER



**SAVES UP TO 60%
ON WATER, ENERGY,
AND DETERGENT**



IWF-802WG

8 kg **HD INVERTER WASHER**

Dimensions (h:w:d)

84.5 : 59.5 : 54.5 cm

- Heavy-Duty Quality
- Quick Wash
- Energy-Efficient Inverter Motor
- Anti-Allergy & Anti-Virus Wash
- Hot Wash up to 95°C
- Stainless Steel Drum
- Digital LED Display
- Pump Drain System



WARRANTY: 1-Year on Parts & Service

INVERTER FULLY AUTO WASHER



Direct Drive Motor



**VARIABLE
WATER PRESSURE
TECHNOLOGY**



IJWA-1050VT

10.5 kg **HD INVERTER**

Dimensions (h:w:d) 97 : 63 : 64 cm

- Variable Water Pressure Technology
- Fabric Conditioner Dispenser
- Large LED Display
- Air Dry System
- 10 Wash Programs
- SoakWash Function
- Eco-Saver Water Recycle Function
- Quiet Wash
- 10 Water Levels
- 24-Hour Delay Start
- Child Lock
- Automatic Imbalance Correction
- Adjustable Feet
- Stainless Steel Drum
- Titanium Gray Color
- Automatic Power Supply Cut Off
- Heavy-Duty Metal Body



Soft-Closing
Tempered
Glass Cover



Digital
Touch Controls

FULLY AUTO WASHER



VARIABLE WATER PRESSURE TECHNOLOGY

This advanced feature lets your fully auto washer operate efficiently even with low water pressure.



IJWA-8800VT
8.8 kg HD Inverter
Direct Drive Motor
Dimensions (h:w:d)
95 : 56.5 : 59.5 cm

JWA-8500VT
8.5 kg
Dimension (h:w:d)
95 : 56 : 59 cm

JWA-7500VT
7.5 kg
Dimension (h:w:d)
92 : 55 : 57 cm

JWA-6500VT
6.5 kg
Dimensions (h:w:d)
89 : 53 : 53 cm

JWA-6000VT
6.0 kg **Space Max**
Dimensions (h:w:d)
81.4 : 49.6 : 50.7 cm

- Variable Water Pressure Technology
- Fabric Conditioner Dispenser
- Large LED Display
- Air Dry System
- 10 Wash Programs
- SoakWash Function
- Eco-Saver Water Recycle Function
- 4 Water Falls Wash (for better cleaning efficiency; except JWA6500VT & JWA6000VT)
- Quiet Wash
- 10 Water Levels
- 24-Hour Delay Start
- Child Lock
- Automatic Imbalance Correction
- Adjustable Feet
- Stainless Steel Drum
- Titanium Gray Color
- Automatic Power Supply Cut Off
- Rust-Proof Plastic Body

WARRANTY: 1-Year on Parts & Service

D-LUX TWIN TUB WASHER

D-Lux



JWT-1202SS
12.2 kg
Dimension (h:w:d)
101 : 87.5 : 50.5 cm

JWT-1002SS
10.2 kg
Dimension (h:w:d)
99 : 49.4 : 86.6 cm

- Tempered Glass Cover
- Soft Closing Lid (for JWT-1202SS)
- Stainless Steel Tub
- Knob Cover
- EcoSoak Wash Cycle
- Tri-Jet Pulsator
- Air Dry System
- Blue Transparent Cover
- Dual Inlet Hose
- Lint Filter
- Rust-Proof Plastic Body
- Rat-Proof Base

TWIN TUB WASHER

MEGA TUB WASHER

- EcoSoak Wash Cycle
- Tri-Jet Pulsator
- Air Dry System
- Durable See-Through Cover

- Dual Inlet Hose
- Lint Filter
- Rust-Proof Plastic Body
- Rat-Proof Base

- Energy-Efficient Copper Motor
- Heavy-Duty Quality
- EcoSoak Wash Cycle



JWT-1400 14 kg
Dimensions (h:w:d)
106.7 : 94.7 : 53.7 cm

JWT-1100 11 kg
Dimensions (h:w:d)
110.7 : 87.6 : 51 cm

JWT-801 8 kg
Dimensions (h:w:d)
89 : 77 : 49 cm

JWT-701 7 kg
Dimensions (h:w:d)
83 : 76.5 : 42 cm

JWT-601 6 kg
Dimensions (h:w:d)
83 : 74 : 42 cm

WARRANTY: 1-Year on Parts & Service



JWS1300
13 kg
Dimensions (h:w:d)
95 : 57 : 58 cm

JWS1100
11 kg
Dimensions (h:w:d)
92.8 : 55.5 : 52.5 cm
• Tri-Jet Pulsator



CWS1000
10 kg
Dimensions (h:w:d)
89 : 55 : 52 cm

- Tri-Jet Pulsator with Triple Rollers

SINGLE TUB WASHER

SPIN DRYER



BWS-780
7.8 kg
Dimensions (h:w:d)
84 : 50 : 43 cm

- Energy-Efficient Motor
- EcoSoak Wash Cycle
- 3 Brushes / 3 Scrubbers
- Jumbo Powerful Pulsator
- Lint Filter
- Heavy-Duty Design
- Triple Oval Pulsator
- Rust-Proof Plastic Body
- Rat-Proof Base
- Gray Body
- Wash Selector



JWS-680
6.8 kg
Dimensions (h:w:d)
85 : 53 : 44.5 cm

- Energy-Efficient Motor
- EcoSoak Wash Cycle
- Tri-Jet Pulsator
- Lint Filter
- Heavy-Duty Design
- Triple Oval Pulsator
- Rust-Proof Plastic Body
- Rat-Proof Base
- Gray Body
- Wash Selector



- Stainless Steel Tub
- Air Dry System
- Advanced PowerSpin Technology
- Super Quiet Operation
- With Dual Balancer for Stability

JSD-1001 XL
10 kg
Dimensions (h:w:d)
85 : 50 : 51 cm

JSD-801
8 kg
Dimensions (h:w:d)
79 : 44 : 45 cm

JSD-681
6.8 kg
Dimensions (h:w:d)
75 : 43.5 : 42.5 cm



Based on the test results of Meralco Power Lab, Fujidenzo Spin Dryers consume

only 0.19 centavos electricity cost per use.

*Based on Meralco Power Lab tests at setting "5" (5-minute use)

WARRANTY: 1-Year on Parts & Service

AIR CONDITIONER

Combines quality & energy efficiency

HEAVY DUTY

High Quality

Energy-Efficient Compressor



Helps Save Energy

R32
REFRIGERANT

Eco-Friendly & Highly Efficient

GOLD FIN
CONDENSER

Built to Last

Air Purifying
FILTERS

Clean Air



Vitamin C Filter

SUPREME HD INVERTER SPLIT-TYPE AIRCON

SUPREME
HD INVERTER

R32
REFRIGERANT

SAVE UP TO

60%
ENERGY



- Supreme HD Inverter Technology
- Equipped with 5-in-1 Air Purifying Filters (HEPA, Anti-Allergy, Active Carbon, Vit. C, & High-Density Clean Air Filters)
- Advanced JetCool Technology
- Gold Fin Condenser
- Fast Cooling
- Self Cleaning mode
- High CSPF Rating
- 24 Hours Timer
- Remote Control
- Wide Voltage Protection
- Dual Side Installation
- Self-Diagnosis Feature
- Dehumidifier

WARRANTY:

5-Year on Compressor /
1-Year on Parts & Service



FULL
DC INVERTER

5-IN-1
Air Purifying
FILTERS

HEPA FILTER

JETCOOL

HIS-303AG

3.0 HP • EER: 10.35
31,680 kJ / hr (6,480-33,120)
2,900 Watts



HIS-253AG

2.5 HP • EER: 10.96
25,200 kJ / hr (6,480-25,920)
2,300 Watts



HIS-203AG

2.0 HP • EER: 11.22
19,080 kJ / hr (4,680-19,080)
1,700 Watts



HIS-153AG

1.5 HP • EER: 9.97
12,960 kJ / hr (4,320-14,400)
1,300 Watts



HIS-103AG

1.0 HP • EER: 11.85
9,720 kJ / hr (2,160-11,520)
820 Watts



SPECIFICATION SUMMARY

MODEL	HIS-303AG	HIS-253 AG	HIS-203 AG	HIS-153 AG	HIS-103 AG
Indoor unit	HIS-303 AG IN	HIS-253 AG IN	HIS-203 AG IN	HIS-153 AG IN	HIS-103 AG IN
Outdoor unit	HIS-303 AG OD	HIS-253 AG OD	HIS-203 AG OD	HIS-153 AG OD	HIS-103 AG OD
Horsepower (hp)	3.0 hp	2.5 hp	2.0 hp	1.5 hp	1.0 hp
Indoor Unit Dimension (h : w : d) in mm	330 x 1082 x 233	330 x 1082 x 233	310 x 900 x 225	285 x 750 x 200	285 x 750 x 200
Outdoor Unit Dimension (h : w : d) in mm	700 x 900 x 350	655 x 825 x 310	530 x 705 x 279	455 x 650 x 278	455 x 650 x 278
Rated power input kW	2.9	2.3	1.7	1.3	0.82
Volt / Phase / Hz	230V~ / 1P / 60Hz	230V~ / 1P / 60Hz	230V~ / 1P / 60Hz	230V~ / 1P / 60Hz	230V~ / 1P / 60Hz
Gas Pipe Size (inch)	5/8	5/8	1/2	3/8	3/8
Liquid Pipe Size (inch)	1/4	1/4	1/4	1/4	1/4
Maximum Pipe Length in m	20	20	20	15	15
Maximum Elevation Difference bet IN / OD in m	15	15	15	15	15

PREMIUM INVERTER WINDOW-TYPE AIRCON

HD HEAVY DUTY
PREMIUM INVERTER

SAVE UP TO

60%
ENERGY



R32
REFRIGERANT

JETCOOL

HIGH DENSITY
Clean Air
FILTER

- Full DC Inverter
- Compact Size
- Gold Fin Condenser
- 4-in-1 Air Purifying Filters (Silver Ion, Vitamin C, Anti-Allergy, and High-Density Filter)
- Highly Efficient R32 Refrigerant
- Remote Control
- Advanced JetCool Technology
- High CSPF Rating
- Wide Voltage Protection (140-290 V)
- Soft Start-Up
- LED Display
- Auto-On / Off Timer
- Sleep Mode
- Super Quiet Operation
- Dehumidifier
- Cleaning Reminder
- Auto Air Swing
- Precise Temp. Control
- Auto Restart
- Self-Diagnosis Feature



FULL
DC INVERTER

4-IN-1
Air Purifying
FILTERS

IWAR-250G

2.5 HP • EER: 11.2
24,120 kJ / hr
2,160 Watts
Dimensions (h:w:d)
428 : 660 : 800 mm



IWAR-200GC

2.0 HP • EER: 11.9
19,080 kJ / hr
1,606 Watts
Dimensions (h:w:d)
428 : 660 : 700 mm



IWAR-150GC

1.5 HP • EER: 11.6
13,209 kJ/hr
1,140 Watts
Dimensions (h:w:d)
375 : 560 : 708 mm



IWAR-100GC

1.0 HP • EER: 11.6
10,400 kJ/hr
900 Watts
Dimensions (h:w:d)
350 : 450 : 640 mm



WARRANTY: 5-Year on Compressor / 1-Year on Parts & Service

FULL DC COMPACT INVERTER WINDOW-TYPE AIRCON



R32
REFRIGERANT

SAVE UP TO
60%
ENERGY



7-IN-1
Air Purifying
FILTERS

COMPACT
SIZE

5-Star
Energy Efficiency Rating

- FULL DC Inverter
- R32 Refrigerant
- High CSPF Rating
- Compact Size
- 7-in-1 Air Purifying Filters
- Gold Fin Condenser
- ECO Mode
- Energy-Efficient Compressor
- LED Display
- Remote Control with Timer
- Dehumidifier

IWAR-157T
1.5 HP • EER: 10.8
11,200 kJ/hr
1030 Watts
Dimensions (h:w:d)
340 x 471 x 444 mm

IWAR-107T
1.0 HP • EER: 11.88
9493 kJ/hr
800 Watts
Dimensions (h:w:d)
340 x 471 x 444 mm

IWAR-757T
0.75 HP • EER: 12.24
7386 kJ/hr
620 Watts
Dimensions (h:w:d)
340 x 471 x 444 mm

WARRANTY: 5-Year on Compressor / 1-Year on Parts & Service



INVERTER GRADE WINDOW-TYPE AIRCON

INVERTER GRADE
R32
REFRIGERANT

SAVE UP TO
30%
ENERGY



- Inverter Grade R32 Refrigerant
- Gold Fin Condenser
- Remote Control with Timer
- Super Quiet Operation
- Eco Mode
- LED Display
- Auto-On / Off Timer
- Compact Size
- Dehumidifier

ECO
MODE

FILTER CLEANING
REMINDER

TIMER



4-in-1 Air Purifying Filters
(Silver Ion, Vitamin C, Anti-Allergy,
and High-Density Clean Air Filter)



4-IN-1
Air Purifying
FILTERS

WAR-253AIG
2.5 HP • EER: 11.0
23,921 kJ/hr
2,180 Watts
Dimensions (h:w:d)
428 : 660 : 770 mm

WAR-203AIG
2.0 HP • EER: 10.4
19,799 kJ/hr
2,200 Watts
Dimensions (h:w:d)
428 : 660 : 700 mm



7-in-1 Air Purifying Filters
(HEPA, Silver Ion, Active Carbon,
Vitamin C, Bio, Anti-Allergy,
High-Density Clean Air Filter)




7-IN-1
Air Purifying
FILTERS

WAR-150IGT
1.5 HP • EER: 10.62
11,988 kJ/hr
1,129 Watts
Dimensions (h:w:d)
385 : 505 : 585 mm


WAR-100IGT
1.0 HP • EER: 11.34
9,072 kJ/hr
800 Watts
Dimensions (h:w:d)
330 : 475 : 435 mm

WAR-750IGT
0.75 HP • EER: 10.83
7,200 kJ/hr
665 Watts
Dimensions (h:w:d)
330 : 475 : 435 mm



WAR-632IGT2
0.6 HP • EER: 11.07
5,400 kJ/hr
488 Watts
Dimensions (h:w:d)
306 : 406 : 332 mm

- High-Density
Clean Air Filter



WAM-632IGT2
0.6 HP • EER: 11.07
5,400 kJ/hr
488 Watts
Dimensions (h:w:d)
306 : 406 : 332 mm

- High-Density
Clean Air Filter

MECHANICAL CONTROL

WARRANTY: 5-Year on Compressor / 1-Year on Parts & Service

PORTABLE AIRCON WITH AIR PURIFYING FILTERS

INVERTER GRADE
R410A
REFRIGERANT

- Air Purifying Filters:
Bio Filter, HEPA Filter,
High-Density Filter
- Inverter Grade R410a Refrigerant
- Follow Me Technology
- Energy-Efficient Compressor
- Gold Fin Condenser
- Remote Control
- External Exhaust Pipe
- Easy to Install
- Roller Feet
- Auto Restart
- LED Display
- Self-Diagnosis
& Auto Protection


PAC150 AIG
1.5 HP • EER: 9.4
12,660 kJ / hr
1,350 Watts
Dimensions (h:w:d)
703 : 355 x 345 mm

PAC100 AIG
1 HP • EER: 8.6
9,495 kJ / hr
1,110 Watts
Dimensions (h:w:d)
703 : 355 x 345 mm



HEPA FILTER

**Air Purifying
FILTERS**



The 3-Stage Filtration System – HEPA filter, Bio filter,
and High-Density filter, helps remove even the tiniest pollutants
for a clean and healthy air quality.

WARRANTY: 5-Year on Compressor / 1-Year on Parts & Service

LIGHT COMMERCIAL AIRCON

Combines quality & energy efficiency



High Quality

Energy-Efficient Compressor



Helps Save Energy

R32
REFRIGERANT

Eco-Friendly & Highly Efficient

GOLD FIN
CONDENSER

Built to Last

Clean Air
FILTER

Fresh Air

FLOOR STANDING



HD HEAVY DUTY
PREMIUM INVERTER

R32
REFRIGERANT

FIP-600M3
Premium Inverter
6.0 HP (5 TR)
54,863 kJ / hr
5,440 Watts
Dimension (hwd)
1925 : 610 : 390 mm



HD HEAVY DUTY
PREMIUM INVERTER

R32
REFRIGERANT

FIP-400M3
Premium Inverter
4.0 HP (3 TR)
37,982 kJ / hr
3,300 Watts
Dimension (hwd)
1825 : 540 : 410 mm

INVERTER GRADE

R410A
REFRIGERANT

FPA-400IGM2
4.0 HP (3 TR)
37,982 kJ / hr
4,050 Watts
Dimension (hwd)
1825 : 540 : 410mm

CEILING SUSPENDED



HD HEAVY DUTY
PREMIUM INVERTER

R32
REFRIGERANT

FIS 400M3
4 HP (3 TR)
37,982 kJ / hr
3,400 Watts
Dimensions (h:w:d)
235 : 1285 : 675 mm

5-Star
Energy Efficiency Rating

WARRANTY: 3-Year on Compressor / 1-Year on Parts & Service

SPECIFICATION SUMMARY

MODEL	FPA-400IGM2 IN	FIP-400M3 IN	FIP-600M3 IN	FIS-400M3 IN
Outdoor Model	FPA-400IGM2 OD	FIP-400M3 OD	FIP-600M3 OD	FIS-400M3 OD
Power Input (W)	4,050	3,300	5,440	3,400
EER	9.4	11.0	11.4	11.0
INDOOR SPECIFICATION				
Net Indoor Dimension (h:w:d) in mm	1825:540:410	1825:540:410	1925:610:390	235 : 1285 : 675
Gross Indoor Dimension (h:w:d) in mm	1965:690:565	1965:690:565	2070:765:515	318 : 1360 : 755
Indoor Net/Gross Weight (kg)	49.5 / 64.5	49.6 / 64.6	57.7 / 74	32.1/37.6
Panel Dimension (h:w:d) in mm	-	-	-	-
Panel Net/Gross Weight (kg)	-	-	-	-
Fuse Capacity and Breaker (A)	6	6	6	5 & 6
OUTDOOR SPECIFICATION				
Net Outdoor Dimension (h:w:d) in mm	810:946:410	810:946:410	1333:952:415	810 : 946 : 410
Gross Outdoor Dimension (h:w:d) in mm	885:1090:500	885:1090:500	1480:1095:495	835 : 1090 : 500
Outdoor Net/Gross Weight (kg)	62 / 66.5	54.1 / 59.1	91.9 / 106	54.1/59.1
Breaker Capacity (A)	30	30	50	30
OTHER SPECIFICATIONS				
Rated Voltage/Frequency	230V, 1Ph, 60Hz	230V, 1Ph, 60Hz	230V, 1Ph, 60Hz	1 Ph, 220-240V, 60Hz
Refrigerant	R410A	R32	R32	R32
PIPE SPECIFICATIONS				
Liquid Pipe Size (inch)	3/8	3/8	3/8	3/8
Gas Pipe Size (inch)	3/4	5/8	5/8	5/8
Max. Pipe Length (meters)	20	30	50	30
Max. Height Difference bet ID and OD (meters)	10	20	30	20

COMMERCIAL EVAPORATIVE AIR COOLER

Improves air quality in large spaces



Commercial Quality



Energy-Efficient Motor



High Velocity



Anti-Bacterial Filter

- Highly Efficient Honeycomb Cooling Pads
- Low Power Consumption/Energy Saving
- High-Density Filter (eliminates large allergen particles like dust and pollen while cooling)
- Digital Control
- With Remote Control
- 3-Sided Evaporative Pads (efficient and effective evaporative cooling)
- Heavy-Duty Roller Feet
- Water Level Indicator (Alarm)



FEA7000

- With Ionizer
- 3 Ventilation Modes (Standard/Nature/Night)

Airflow volume:

7,000 m³/H

Suitable Area:

50-70 sqm.

Rated Power:

380 Watts

Water Storage Capacity:

90 Liters

Water Consumption:

6-10 Liters/Hour

Sound Level:

60 dB

Dimensions (h:w:d):

137 : 80 : 60 cm

With Optional Stand:

183 : 80 : 60 cm

Optional Stand
(Additional P2,000)

WARRANTY: 1-Year on Parts & Service

AVR (AUTOMATIC VOLTAGE REGULATOR)

Protects your appliances from power surges



100% Copper Coil



Servo-Motor Control



Output Meter Display



Can Sustain
High Voltage Fluctuations



Time-Delay Function



FVR-2000SC

2,000 VA / Watts

3 Output Sockets:

1 Socket: 110V

2 Sockets: 220V

Dimensions (h:w:d)

25 : 18 : 32 cm

- With Internal Circuit Breaker for Over-Voltage Protection



SOCKETS (Back)



FVR-1500SC

1,500 VA / Watts

4 Output Sockets:

1 Socket: 110V

3 Sockets: 220V

Dimensions (h:w:d)

16.5 : 22.5 : 24 cm

- With Fuse for Over-Voltage Protection



SOCKETS (Front)



RECOMMENDED TO USE FOR:

- Showcase Freezer
- Commercial Upright Freezer



RECOMMENDED TO USE FOR:

- Chest Freezer
- Showcase Chiller
- Wine Cooler
- Side-by-Side Refrigerator
- Multi-Door Refrigerator
- Inverter Washing Machine

WARRANTY: 1-Year on Parts & Service

FUJIDENZO

Quality Above All

FULL SERVICE SUPPORT

OVER 500 SERVICE CENTERS NATIONWIDE

Fujidenzo provides excellent and dedicated after-sales service for your Fujidenzo home and commercial appliances throughout the Philippines at our Authorized Service Centers. Trust us to provide you with:

- Trained technicians to repair and maintain your appliances
- High-quality spare parts that are readily available even for earlier models
- Security of fast, complete, and qualified service

MAIN AUTHORIZED SERVICE CENTER

✉ EXCELLENCE APPLIANCE TECHNOLOGIES, INC. ☎ (632) 8230-1555 • 0917-8696111 • 0925-7372477
24 D. Tuazon St. cor. L. Castillo St.
Quezon City, 1113, Philippines

f Service Excellence Help Desk

Available in all leading appliance stores nationwide

MAIN SHOWROOMS, PARTS & SERVICE LOCATIONS

MANILA	Exatech Bldg., #56 Cordillera St. cor. E. Rodriguez Sr. Ave., Quezon City	(02) 8230-1555
CEBU	Exatech-Cebu Bldg., #60 Castilex Compound, Cabancalan, Mandaue City	(032) 345-3105
DAVAO	Exatech-Davao Bldg., Excellence St., Doña Luisa Subdivision, Phase II, Quimpo Blvd., Ecoland, Davao City	(082) 233-1068
CDO	Exatech-CDO Bldg., B16 L4 Pacific St., Pueblo de Oro, Upper Carmen, Cagayan De Oro City	0998 588-2099
BACOLOD	Exatech-Bacolod Bldg., Hilado Extension, Bacolod City	(034) 441-9912
ILOILO	Exatech-Iloilo Bldg., De La Rama Street, City Proper, Iloilo City	(033) 503-6834
LEGAZPI	Exatech-Legazpi Bldg., 831 B3 F. Aquende Drive, Brgy. 40 Cruzada, Legazpi City	(052) 742-2127
PALAWAN	Exatech-Palawan Bldg., Rizal Ave., Brgy. Magkakaibigan, Puerto Princesa, Palawan	(048) 433-5914
ISABELA	Exatech-Isabela Bldg., Maharlika Highway, Prenza, Cauayan, Isabela	(078) 325-1052
BAGUIO	Exatech-Baguió Bldg., 18 Loakan Road, Brgy. Greenwater, Baguio City	(074) 246-7532
BATANGAS	Exatech-Batangas Bldg., Lot 775-776, Purok 3, Sta. Anastacia, Sto. Tomas City, Batangas	(02) 8230-1555 loc 8780

Exclusively Distributed by:

EXATECH
EXCELLENCE APPLIANCE TECHNOLOGIES

www.fujidenzo.com

👍 Like us on Facebook
Fujidenzo Appliances

