

FUJIDENZO

Quality Above All

Upgrade Your Home. Upgrade Your Business.



Fujidenzo is committed to providing high-quality and energy-efficient appliances for long-term investment.

HOME & COMMERCIAL APPLIANCES

www.fujidenzo.com

COMMERCIAL APPLIANCES

TRUSTED QUALITY FOR BUSINESS



DUAL FUNCTION

A special feature that allows you to use your FREEZER as a CHILLER



FAST FREEZE

Freezing at its finest. Get your food & products to freeze at the fastest time possible.



INVERTER SOLID TOP CHEST FREEZER / CHILLER WITH SLIDING GLASS COVER INSIDE



WITH TWO HUGE COOLING PADS



Maintain coldness during power outage for up to 10 hours!



- Energy-Efficient HD Inverter Compressor
- Front Temperature Control
- LED Light
- Key Lock
- Roller Feet
- Silver Color

IFCG-55 PDF SL
5.5 cu.ft. • 100 Watts
Dimensions (h:w:d)
85 : 73.5 : 61 cm



IFCG-75 PDF SL
7 cu.ft. • 100 Watts
Dimensions (h:w:d)
85 : 88.5 : 61 cm



IFCG-95 PDF SL
9 cu.ft. • 100 Watts
Dimensions (h:w:d)
85 : 105 : 61 cm



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER CHEST FREEZER / CHILLER



- Energy-Efficient HD Inverter Compressor
- Galvanized Interior
- Key Lock
- Roller Feet



IFC-35 GDF
3.5 cu.ft. • 80 Watts
Dimensions (h:w:d)
85 : 55 : 55 cm
• Electronic Control
• Recessed Handle



IFC-50 GDF
5.0 cu.ft. • 95 Watts
Dimensions (h:w:d)
85 : 71 : 55 cm
• Electronic Control
• Glass Cover Inside
• Recessed Handle



IFC-70 GDF
7.0 cu.ft. • 135 Watts
Dimensions (h:w:d)
85 : 91 : 55 cm
• Electronic Control
• Glass Cover Inside
• Recessed Handle



IFC-90 GDF
9.0 cu.ft. • 140 Watts
Dimensions (h:w:d)
85 : 96 : 62 cm
• Glass Cover Inside
• Digital Temperature Control with LCD Display



IFC-110 GDF
11 cu.ft. • 155 Watts
Dimensions (h:w:d)
85 : 112 : 70 cm
• Glass Cover Inside
• Digital Temperature Control with LCD Display



IFC-140 GDF
14 cu.ft. • 180 Watts
Dimensions (h:w:d)
85 : 130 : 70.5 cm
• Electronic Control



IFC-17 GDF
17 cu.ft. • 190 Watts
Dimensions (h:w:d)
84.2 : 152.3 : 72.5 cm
• Digital Temperature Control with LCD Display



IFC-20 ADF2
20 cu.ft. • 190 Watts
Dimensions (h:w:d)
91 : 185 : 73 cm
• Aluminum Interior
• Digital Temperature Control with LCD Display



IFC-26 GDF
26 cu.ft. • 355 Watts
Dimensions (h:w:d)
90 : 198.5 : 86 cm
• Digital Temperature Control with LCD Display

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

Quality Trusted by Major Processed Meat, Chicken, Ice Cream, Fruits, and Beverage Companies



COMMERCIAL APPLIANCES

TRUSTED QUALITY FOR BUSINESS



DUAL FUNCTION

A special feature that allows you to use your FREEZER as a CHILLER



FAST FREEZE

Freezing at its finest. Get your food & products to freeze at the fastest time possible.



INVERTER SOLID TOP CHEST FREEZER / CHILLER WITH SLIDING GLASS COVER INSIDE

HD INVERTER

- Energy Efficient HD Inverter Compressor
- Front Temperature Control
- LED Light
- Key Lock
- Roller Feet
- Silver Color

WITH TWO HUGE COOLING PADS

Maintain coldness during power outage for up to 10 hours!

BROWNOUT BUSTER



IFCG-55 PDF SL
5.5 cu.ft. • 100 Watts
Dimensions (h/w/d): 85.73.5 - 61 cm

IFCG-75 PDF SL
7 cu.ft. • 100 Watts
Dimensions (h/w/d): 85.88.5 - 61 cm

IFCG-95 PDF SL
9 cu.ft. • 100 Watts
Dimensions (h/w/d): 85.105 - 61 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER CHEST FREEZER / CHILLER

HD INVERTER

- Energy Efficient HD Inverter Compressor
- Galvanized Interior
- Key Lock
- Roller Feet

IFC-35 GDF
3.5 cu.ft. • 80 Watts
Dimensions (h/w/d): 85.55 - 55 cm

- Electronic Control
- Recessed Handle

IFC-50 GDF
5.0 cu.ft. • 95 Watts
Dimensions (h/w/d): 85.71 - 55 cm

- Electronic Control
- Glass Cover Inside
- Recessed Handle

IFC-70 GDF
7.0 cu.ft. • 135 Watts
Dimensions (h/w/d): 85.91 - 55 cm

- Electronic Control
- Glass Cover Inside
- Recessed Handle

IFC-140 GDF
14 cu.ft. • 180 Watts
Dimensions (h/w/d): 85.130 - 70.5 cm

- Electronic Control



IFC-90 GDF
9.0 cu.ft. • 140 Watts
Dimensions (h/w/d): 85.96 - 62 cm

- Glass Cover Inside
- Digital Temperature Control with LCD Display

IFC-110 GDF
11 cu.ft. • 155 Watts
Dimensions (h/w/d): 85.112 - 70 cm

- Glass Cover Inside
- Digital Temperature Control with LCD Display

IFC-140 GDF
14 cu.ft. • 180 Watts
Dimensions (h/w/d): 85.130 - 70.5 cm

- Electronic Control

IFC-17 GDF
17 cu.ft. • 190 Watts
Dimensions (h/w/d): 84.2 - 132.3 - 72.5 cm

- Digital Temperature Control with LCD Display

IFC-20 ADF2
20 cu.ft. • 190 Watts
Dimensions (h/w/d): 91.185 - 73 cm

- Aluminum Interior
- Digital Temperature Control with LCD Display

IFC-26 GDF
26 cu.ft. • 355 Watts
Dimensions (h/w/d): 90.198.5 - 86 cm

- Digital Temperature Control with LCD Display

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

Quality Trusted by Major Processed Meat, Chicken, Ice Cream, Fruits, and Beverage Companies



SOLID TOP CHEST FREEZER / CHILLER

DUAL FUNCTION

- Energy Efficient Compressor
- Front Temperature Control
- Galvanized Interior
- Key Lock
- Roller Feet

FC-48 GDF
4.8 cu.ft. • 85 Watts
Dimensions (h/w/d): 84.8 - 63.2 - 53.4 cm

FC-68 GDF
6.8 cu.ft. • 90 Watts
Dimensions (h/w/d): 84.8 - 81.6 - 53.4 cm

FC-88 GDF
8.8 cu.ft. • 100 Watts
Dimensions (h/w/d): 84.8 - 91.2 - 56 cm

FC-18 ADF2
18 cu.ft. • 305 Watts
Dimensions (h/w/d): 91.166.5 - 73 cm

- Aluminum Interior

FC-22 GDF2
22 cu.ft. • 355 Watts
Dimensions (h/w/d): 91.198 - 73 cm

FC-39 ADF2
29 cu.ft. • 355 Watts
Dimensions (h/w/d): 92.244 - 74 cm

- Aluminum Interior



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

SLIDING GLASS TOP CHEST FREEZER / CHILLER

DUAL FUNCTION

- Energy Efficient Compressor
- Front Temperature Control
- Key Lock
- Roller Feet

FD-07 ADF2
7 cu.ft. • 170 Watts
Dimensions (h/w/d): 83.94.5 - 61 cm

FD-10 GDF
10 cu.ft. • 251 Watts
Dimensions (h/w/d): 82.5 - 101.4 - 69.4 cm

- Galvanized Interior

FD-15 ADF
15 cu.ft. • 305 Watts
Dimensions (h/w/d): 85.143.5 - 73 cm

IFD-22 GDF2
22 cu.ft. • 330 Watts
Dimensions (h/w/d): 85.1 - 180 - 67 cm

- Galvanized Interior

HD INVERTER

- Energy Efficient Compressor
- Front Temperature Control
- Galvanized Interior



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

CURVED GLASS TOP FREEZER / CHILLER

DUAL FUNCTION

- Energy Efficient Compressor
- Heavy Duty
- Temperature Indicator
- Special Design
- LED Lights
- Extra-Large Roller Feet

Supermarket PREMIUM MODEL



IFSP-10GDF
10 cu.ft. • 253 Watts
Dimensions (h/w/d): 84.99 - 67 cm

- 3 Full-Wire Baskets

FSP-18 ADF3
18 cu.ft. • 330 Watts
Dimensions (h/w/d): 75.5 - 163 - 73.5 cm

- 6 Full-Wire Baskets



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

SUBZERO CHILLER

- Energy Efficient Compressor
- 5 Special Beverage Baskets
- Blower Fan
- Dual Function (temperature can be set ranging from +10° to -40° Celsius)
- Outside Back Condenser

FBS-970 ADF
9 cu.ft.
70-Bottle Capacity
180 Watts
Dimensions (h/w/d): 85 - 90 - 60 cm



INVERTER DUAL COMPARTMENT COMBI FREEZER & CHILLER



IFRC-100 G
Total Capacity: 10 cu.ft.
Freezer Capacity: 7 cu.ft.
Chiller Capacity: 3 cu.ft.
142 Watts
Dimensions (h/w/d): 80.5 - 121 - 65.5 cm



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER UPRIGHT FREEZER

INVERTER NO-FROST UPRIGHT FREEZER



HD INVERTER

IUF-70S

7 cu.ft. • 240 Watts
Dimensions (h:w:d)
144 : 55 : 55.5 cm

- Energy-Efficient HD Inverter Compressor
- R600A Refrigerant
- Direct Cooling
- 6 Evaporator Shelves with Metal Cover (for added protection)
- 1 Bottom Drawer & 3 Door Bins
- Outside Back Condenser
- Foam-in-Place Insulation Door
- Recessed Handle
- Stainless Look Door



HD INVERTER

INFU-110S

11 cu.ft. • 140 Watts
Dimensions (h:w:d)
185 : 60 : 68.5 cm

- Energy-Efficient HD Inverter Compressor
- R600A Refrigerant
- No Frost
- 3 Tempered Glass Shelves
- 1 Sliding Drawer
- 3 Bottom Drawers
- Stainless Steel
- Reversible Door
- Easy-Open Handle



HD INVERTER

INFU-210SSDF

21 cu.ft. • 230 Watts
Dimensions (h:w:d)
194 : 83 : 79 cm

DUAL FUNCTION

- No Frost
- Heavy-Duty Quality
- Energy-Efficient HD Inverter Compressor
- R600A Refrigerant
- Superior Freezing Performance
- 5 Heavy-Duty Wire Shelves and 1 Bottom Drawer
- Elegant Design

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

UPRIGHT FREEZER

NO-FROST UPRIGHT FREEZER

NO-FROST SHOWCASE FREEZER



UF-35 S2

3.5 cu.ft. • 90 Watts
Dimensions (h:w:d)
85 : 55 : 58 cm

- Direct Cool
- Energy-Efficient Compressor
- 4 Drawer Shelves
- Key Lock



NFU-140 SS DF

14 cu.ft. • 130 Watts
Dimensions (h:w:d)
158 : 73 : 82 cm

DUAL FUNCTION

- No Frost
- Energy-Efficient Compressor
- Quick Freeze Function
- 3 Heavy-Duty Wire Shelves
- 1 Tempered Glass Shelf
- 1 Bottom Drawer
- Door Alarm
- Automatic Lock
- Heavy Duty
- Elegant Design



SF-170 I

17 cu.ft. • 610 Watts
Dimensions (h:w:d)
201.5 : 68 : 81.5 cm

- No Frost
- Heavy-Duty Quality
- Heated Glass Door to prevent moisture
- Triple Pane Glass Door with Heat Film
- Adjustable Metal Shelves
- Turbo Blower Fan
- Digital Temperature Control
- LED Lights
- Key Lock
- Price Tag Shelves

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

WINE COOLER

CHILLER WITH FREEZER TOP

STACKED SHOWCASE

- Energy-Efficient Compressor
- Temperature: 6 to 18° C
- Anti-Bacterial Lining
- External Electronic Control
- Wooden Shelves
- Roller Feet



WC-120 AW

120-Bottle Capacity
140 Watts
Dimensions (h:w:d)
186 : 63 : 66 cm

WC-70 AW

70-Bottle Capacity
125 Watts
Dimensions (h:w:d)
127 : 63 : 66 cm

WC-43 AW

43-Bottle Capacity
95 Watts
Dimensions (h:w:d)
87 : 62 : 65 cm



With Freezer Compartment

- Energy-Efficient Compressor
- Big Freezer Space
- 7-Level Temp. Control
- Double Glass Door
- Key Lock
- Price Tag Shelves

SUF-100 A

10 cu.ft. • 175 Watts
Dimensions (h:w:d)
171 : 59 : 61 cm



SUC-150 ADF2

Total Capacity: 15 cu.ft.
Top : 5 cu.ft. Chiller
Bottom : 10 cu.ft. Curved Glass
Dual Function Freezer or Chiller

430 Watts
Dimensions (h:w:d)
188 : 99 : 70 cm

- Energy-Efficient Compressors
- Dual Compressor
- Double Temperature Control
- Top & Bottom LED Lamps
- 6 Adjustable Wire Shelves (chiller)
- 3 Wire Baskets (curved glass freezer)
- Lighted Panel
- Roller Feet
- Price Tag Shelves

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

INVERTER CHILLER

HD INVERTER
HEAVY-DUTY

- Heavy-Duty Quality
- Energy-Efficient HD Inverter Compressor
- Blower Fan
- LED Light
- Key Lock
- Fan on Glass Door
- Price Tag Shelves



- Moisture-Prevent Fan

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service



ISU-70 A3
7 cu.ft. • 120 Watts
Dimensions (h:w:d)
154 : 53 : 58 cm



ISUP-85 H
8.5 cu.ft. • 210 Watts
Dimensions (h:w:d)
183.5 : 54 : 57.5 cm



ISUP-110 H
11 cu.ft. • 220 Watts
Dimensions (h:w:d)
201.5 : 54 : 61.5 cm



ISUP-120 H
12 cu.ft. • 230 Watts
Dimensions (h:w:d)
185.3 : 60 : 67.5 cm



ISU-143 A3
14 cu.ft. • 190 Watts
Dimensions (h:w:d)
209 : 66.5 : 58 cm

SHOWCASE CHILLER

- Energy-Efficient Compressor
- 7-Level Temperature Control
- Double Glass Door
- Blower Fan
- LED Light
- Key Lock
(except: SU-35 A & SU-45 A)
- Price Tag Shelves



SU-35 A2
3.5 cu.ft. • 100 Watts
Dimensions (h:w:d)
85 : 49 : 56 cm



SU-45 A2
4.5 cu.ft. • 100 Watts
Dimensions (h:w:d)
104 : 48 : 55 cm



SU-70 A2
7 cu.ft. • 100 Watts
Dimensions (h:w:d)
154 : 53 : 58 cm



SU-90 A2
9 cu.ft. • 120 Watts
Dimensions (h:w:d)
179 : 53 : 58 cm



SU-110 A
11 cu.ft. • 167 Watts
Dimensions (h:w:d)
186 : 60 : 63 cm



SU-140 A
14 cu.ft. • 190 Watts
Dimensions (h:w:d)
209 : 66.5 : 58 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

MULTI-DOOR SHOWCASE CHILLER



DIGITAL TEMPERATURE CONTROL
with LCD Display

- Energy-Efficient Compressor
- Double Blower Fan
- Padlock Provision
- Price Tag Shelves

SUD-220 A 2 Doors
22 cu.ft. • 210 Watts
Dimensions (h:w:d)
202 : 122 : 59 cm

SUT-290 A 3 Doors
29 cu.ft. • 320 Watts
Dimensions (h:w:d)
190 : 143 : 62 cm

INVERTER MULTI-DOOR SHOWCASE CHILLER



HD INVERTER
HEAVY-DUTY

DIGITAL TEMPERATURE CONTROL
with LCD Display

- Heavy-Duty Quality
- Energy-Efficient HD Inverter Compressor
- No Frost
- Fan on Glass Door
- Moisture-Prevent Fan
- Price Tag Shelves
- Key Lock

ISUP-260I 2 Doors
26 cu.ft. • 420 Watts
Dimensions (h:w:d)
199.5 : 115 : 65.5 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

REFRIGERATION

Trusted quality for home & business

INVERTER SIDE-BY-SIDE REF



NO FROST

- Energy-Efficient Inverter Compressor
- HD Inverter No-Frost Refrigerator
- Digital Temperature Control w/ LCD Display
- Quick Freeze and Quick Chill Mode
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust and stain resistant)
- Vacation Mode
- Eco-LED Lights (interior)
- Child Lock
- Stainless Steel



WARRANTY: 2-Year on Parts / 1-Year on Service



IST-24 SSDF
24 cu.ft. • 150 Watts
Dimensions (h:w:d) 183 : 92 : 72 cm

- **Convertible Chamber (Lower Right Door)**
Temperature can be set ranging from +8° to -4° Celsius



ISR-20 SS
20.6 cu.ft. • 170 Watts
Dimensions (h:w:d)
178 : 90 : 76 cm

- **Wine/Beverage Shelf**
- **3 Twist Ice Trays & Ice Cube Container**



ISR-17 SS
17 cu.ft. • 150 Watts
Dimensions (h:w:d) 178 : 90 : 59 cm

INVERTER MULTI-DOOR REF



NO FROST

- 4-Door HD Inverter No-Frost Refrigerator
- Bottom Freezers
- Energy-Efficient Inverter Compressor
- Digital Temperature Control with LCD Display
- Quick Freeze and Quick Chill Mode
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust and stain resistant)
- Twist Ice Trays and Ice Cube Container
- Vacation Mode
- Eco-LED Lights (interior)
- Child Lock
- Recessed Handle



WARRANTY: 2-Year on Parts / 1-Year on Service



IFR-19 GD
19 cu.ft. • 170 Watts
Dimensions (h:w:d)
181.5 : 84 : 75 cm

- **Silver Glass Door**



IFR-15 SS
15 cu.ft. • 180 Watts
Dimensions (h:w:d)
180 : 79 : 62 cm

- **Stainless Steel Finish**



IFR-12 HB
12 cu.ft. • 150 Watts
Dimensions (h:w:d) 185.5 : 64 : 69 cm

- **Black Stainless Steel**

WARRANTY: 5-Year on Compressor

INVERTER BOTTOM-MOUNT REF



NO FROST

- Energy-Efficient Inverter Compressor
- HD Inverter No-Frost Refrigerator
- Bottom Freezer
- Triple Bottom Freezer Drawers
- Fresh Zone Drawers (Crisper)
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust and stain resistant)
- Eco-LED lights
- Recessed Handle
- Stainless Steel Finish
- Reversible Door



IBM-125S2
12 cu.ft. • 140 Watts
Dimensions (h:w:d)
185 : 60 : 68.5 cm



IBM-90SS
9 cu.ft. • 140 Watts
Dimensions (h:w:d)
166 : 55 : 64 cm



IBM-90SS consumes only Php 4.38 electricity cost per day or Php 131.40 per month.

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service



INVERTER NO-FROST REF



INR-128 S
12.8 cu.ft. • 140 Watts
Dimensions (h:w:d)
170 : 60 : 66.5 cm.



INR-103 HS
10 cu.ft. • 140 Watts
Dimensions (h:w:d)
171.2 : 57.5 : 59 cm.

- Wire Shelves for Ref Section



INR-83 HS
8 cu.ft. • 140 Watts
Dimensions (h:w:d)
146.9 : 57.5 : 59 cm.



INR-70MS
7 cu.ft. • 89 Watts
Dimensions (h:w:d)
146.5 : 54.5 : 59 cm.

- Wire Shelves for Ref Section



NO FROST

- Energy-Efficient Inverter Compressor
- HD Inverter No-Frost Refrigerator
- Smart Cooling
- With Twist Ice Tray (except INR-128 S)
- Fresh Zone Crisper with Humidity Control
- Quick Chill Compartment
- Independent Temperature Control
- Spill-Proof Tempered Glass Shelves
- Textured Body (rust & stain resistant)
- Eco-LED lights
- Recessed Handle
- Dark Titanium Body (except INR-128 S)
- Reversible Door



INVERTER TWO-DOOR DIRECT COOL REF



IRD-90HS
9 cu.ft. • 130 Watts
Dimensions (h:w:d)
166 : 55 : 58 cm.

- Hardtop



IRD-80MS
8 cu.ft. • 84 Watts
Dimensions (h:w:d)
148 : 51.5 : 53.5 cm.



DIRECT COOL

- Energy-Efficient Inverter Compressor
- HD Inverter Direct Cool Refrigerator
- R600A Refrigerant
- Clean Back Design
- Big Freezer Space
- Recessed Handle
- Reversible Door
- Wire Shelves

for IRD-80MS only:
• Equipped with Cooling Pads (Freezer Section)



WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

TWO-DOOR DIRECT COOL REF

Fujidenzo's energy-efficient refrigerators have undergone Meralco Power Lab testing to help customers make informed buying decisions.



RDD-80 S
8 cu.ft. • 97 Watts
Dimensions (h:w:d)
148 : 51.5 : 55.4 cm



RDD-70 S
7 cu.ft. • 100 Watts
Dimensions (h:w:d)
150 : 47 : 49 cm

- Tempered Glass Shelves
- Hardtop Design



RDD-65 S
6.5 cu.ft. • 70 Watts
Dimensions (h:w:d)
148.2 : 47.4 : 52.7 cm

RDD-70S consumes only Php 5.97 electricity cost per day or Php 179.10 per month. RDD-60S consumes only Php 5.55 electricity cost per day or Php 166.50 per month. *Based on Meralco Power Lab tests at "Mid" temperature control settings



RDD-60 S
6 cu.ft. • 125 Watts
Dimensions (h:w:d)
137 : 47 : 49 cm

- Hardtop Design



RDD-50 S
5.0 cu.ft. • 110 Watts
Dimensions (h:w:d)
116 : 48 : 53 cm

- Energy-Efficient Compressor
- R600A Refrigerant
- Clean Back Design
- Space Saver
- Big Freezer Space
- Stainless Look
- Reversible Door
- Wire Shelves

SINGLE-DOOR DIRECT COOL REF

Based on the test results of Meralco Power Lab, the Fujidenzo RSD-60P ref model consumes only Php 3.92 electricity cost per day or Php 117.60 per month. *Based on Meralco Power Lab tests at "Mid" temperature control settings



RSD-68P GDBT
(Black Glass Door)
6.8 cu.ft. • 90 Watts
Dimensions (h:w:d)
122.5 : 53.5 : 58 cm



RSD-60P GDBT
(Black Glass Door)
5.8 cu.ft. • 90 Watts
Dimensions (h:w:d)
109 : 53.5 : 58 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

PERSONAL REF

- Energy-Efficient Compressor
- Space Saver
- Big Freezer Space

All 3.5 cu.ft. models consume only Php 4.11 electricity cost per day or Php 123.30 per month.



RBT-35 SL
3.5 cu.ft. • 80 Watts
Dimensions (h:w:d)
85 : 47.5 : 50.5 cm

- Hardtop Design
- Key Lock
- Tempered Glass Shelf
- Stainless Look Door



RDD-35 R
3.5 cu.ft. • 80 Watts
Dimensions (h:w:d)
85 : 47.5 : 50.5 cm

- Tempered Glass Shelf
- Lucky Red Color



RDD-35 T
3.5 cu.ft. • 80 Watts
Dimensions (h:w:d)
85 : 47.5 : 50.5 cm

- Wire Shelf
- Titanium Color



BAR FRIDGE

- Stainless Door Finish
- Key Lock (Except RB-18 HS)
- Energy-Efficient Compressor
- R600A Refrigerant
- Reversible Door



RB-40 HKS2
4 cu.ft. • 90 Watts
Dimensions (h:w:d)
85 : 48 : 45 cm



RB-30 MKS
3 cu.ft. • 70 Watts
Dimensions (h:w:d)
63 : 44 : 51 cm



RB-18 HS
1.8 cu.ft. • 61 Watts
Dimensions (h:w:d)
52 : 44 : 47 cm

WARRANTY: 5-Year on Compressor / 2-Year on Parts / 1-Year on Service

KITCHEN

A sophisticated kitchen upgrade

Stainless Steel Cooktop



Double Glass Mirror Oven Door



Extra Large & Easy-to-Clean Oven



Adjustable Leveling Feet



Thermostat Control




Powerful Burners



Tempered Glass Top Cover



Metal Hinges



Minute Minder



COOKING RANGE


**MATTE
BLACK
SERIES**

STAIN & SCRATCH RESISTANT



FGR-9650VTRGMB
90 cm
Dimensions (h:w:d)
90 : 90 : 65 cm

- 5 Gas Burners
- Cast Iron Gas Griddle (Center)
- Cast Iron Pan Support
- Wok Burner & Wok Adapter
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-6640VTRCMB
60 cm
Dimensions (h:w:d)
90 : 60 : 61 cm

- 4 Gas Burners
- Cast Iron Pan Support
- Wok Burner
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-5530VTRMB
50 cm
Dimensions (h:w:d)
90 : 50 : 61 cm

- 3 Gas Burners
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Gas Oven & Gas Grill
- Oven Lamp


Also Available:

- FGR-5530VTMB**
- 3 Gas Burners
 - Oven Safety Valve
 - Thermostat Controlled Oven
 - Gas Oven
 - Oven Lamp



FGR-9641VCTRMB
90 cm
Dimensions (h:w:d)
90 : 90 : 65 cm

- 4 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Gas Tank Compartment
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-6631VTRMB
60 cm
Dimensions (h:w:d)
90 : 60 : 61 cm

- 3 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Full Electric Ignition
- Gas Oven & Gas Grill
- Oven Lamp



FGR-5521VTRMB
50 cm
Dimensions (h:w:d)
90 : 50 : 61 cm

- 2 Gas Burners
- 1 Electric Hot Plate
- Oven Safety Valve
- Thermostat Controlled Oven
- Rotisserie
- Gas Oven & Gas Grill
- Oven Lamp

Also Available:

- FGR-5521VTMB**
- 2 Gas Burners
 - 1 Electric Hot Plate
 - Oven Safety Valve
 - Thermostat Controlled Oven
 - Gas Oven
 - Oven Lamp



WARRANTY: 2-Year on Parts / 1-Year on Service

RANGE HOOD

**MATTE
BLACK
SERIES**

STAIN & SCRATCH RESISTANT



RHU902 MB (Matte Black)
90 cm
Extraction Capacity: 400 m³ / hr
Dimensions (h:w:d): 10 : 89.6 : 48.5 cm

- Double Turbo Hood Motor
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal Filter and Aluminum Filter
- Slim-Type Modern Design
- Scratch Resistant
- With Front Glass



RHU602 MB (Matte Black)
60 cm
Extraction Capacity: 400 m³ / hr
Dimensions (h:w:d): 9 : 59.6 : 48 cm

- Double Turbo Hood Motor
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal Filter and Aluminum Filter
- Slim-Type Modern Design
- Scratch Resistant
- With Front Glass



RHU601 MB (Matte Black)
60 cm
Extraction Capacity: 250 m³ / hr
Dimensions (h:w:d): 9 : 59.6 : 48 cm

- Single Turbo Hood Motor
- 3-Speed Push Button
- Ducted or Recirculation System Ready
- LED Lamps
- Dual Filter: Charcoal Filter and Aluminum Filter
- Slim-Type Modern Design
- Scratch Resistant

WARRANTY: 2-Year on Parts / 1-Year on Service

MICROWAVE OVEN

- Smart Wave System
- Defrost Function
- Modern and Elegant Design
- Dark Gray Cavity



Based on the Meralco Power Lab tests at "High" setting, this Fujidenzo MM-22 BL model consumes only Php 0.71 electricity cost per 5-minute use or **only Php 0.14 per 1 minute.**



MM-30 BL 28 Liters • 900 Watts
Dimensions (h:w:d) 30.5 : 51 : 43 cm
• Mechanical Knob

BIG CAPACITY



ME-20 SL 20 Liters • 1050 Watts
Dimensions (h:w:d) 25.9 : 44 : 35.9 cm
• Digital Control
• 9 Auto Cook Menu



MM-22 BL 20 Liters • 700 Watts
Dimensions (h:w:d) 25.5 : 43.3 : 37 cm
• Mechanical Knob

WARRANTY: 2-Year on Magnetron / 2-Year on Parts / 1-Year on Service

WATER DISPENSER



FWD-1331 B (Black)
Dimensions (h:w:d)
100 : 31 : 36 cm

FWD-1331 W (White)
Dimensions (h:w:d)
100 : 31 : 36 cm

- Top Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- Transparent Front Cover (to protect the water faucet from insects)
- Double Safety Device (to prevent overheating)
- Luxurious Design
- With Spacious Cabinet



Transparent Front Cover

To prevent insects, viruses, & bacteria from reaching the water faucet



FWD-1634 B (Black)
Dimensions (h:w:d)
106 : 32 : 39 cm

- Bottom Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- With Water Pump
- Double Safety Device (to prevent overheating)
- Luxurious Design



FWD-1524 W (White)
Dimensions (h:w:d)
104 : 31 : 36 cm

- Bottom Load Water Gallon
- 2 Options: Hot & Cold
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- With Water Pump
- Double Safety Device (to prevent overheating)
- Luxurious Design



FWD-1631 B (Black)
Dimensions (h:w:d)
101 : 32 : 37 cm

- Top Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- With Spacious Cabinet
- Double Safety Device (to prevent overheating)
- Luxurious Design



FWD-1031 B (Black)
Dimensions (h:w:d)
94 : 31.5 : 35 cm

- Top Load Water Gallon
- 3 Options: Hot, Cold, & Warm
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- Double Safety Device (to prevent overheating)
- Elegant Design



FWD-1021 W (White)
Dimensions (h:w:d)
92 : 28 : 32 cm

- Top Load Water Gallon
- 2 Options: Hot & Cold
- Energy-Efficient Compressor
- Safety Child Lock (for hot button)
- Double Safety Device (to prevent overheating)
- Elegant Design

TABLETOP WATER DISPENSER



WD-102 B (Black)
Tabletop
Dimensions (h:w:d)
37.7 : 27 : 30.5 cm

- Top Load Water Gallon
- 2 Options: Hot & Normal
- Energy-Efficient Design
- Safety Child Lock (for hot button)
- Double Safety Device (to prevent overheating)
- Elegant Design

WARRANTY: 1-Year on Parts & Service

LAUNDRY

Keeps clothes clean & fresh

High Quality



Saves up to 25%
Detergent and Water



Thorough &
Intensive Washing



Reduces Drying Time



Odor-Free Clothes



USA DESIGN WASHER



Direct Drive Motor

IUSW-1500M

15 kg HD INVERTER WASHER

Dimensions (h:w:d)

106.5 : 62 : 64 cm

- Energy-Efficient Inverter Motor
- Heavy-Duty Quality
- Fast Clean System (FCS)
- 10 Wash Programs
- Water Level Selection
- Delay-End Function
- Magic Filter
- Detergent Box (Washing Powder, Detergent & Fabric Softener)
- Tub Clean
- Extra Rinse Option
- Inclined Control Panel
- Large Control Knob
- Stainless Steel Drum
- Child Lock
- Automatic Imbalance Correction
- Adjustable Feet
- Pump Drain System



Soft-Closing
Tempered
Glass Cover

WARRANTY: 1-Year on Parts & Service



FCS FAST CLEAN SYSTEM

An advanced feature that shortens the total wash time by **up to 40%** while maintaining the same cleanliness result.



Ordinary Washer

FCS

FRONT LOAD WASHER



SAVES UP TO **60%**
ON WATER, ENERGY,
AND DETERGENT

IWF-801 WG

8 kg HD INVERTER WASHER

Dimensions (h:w:d)

84.5 : 59.5 : 54.5 cm

- Heavy-Duty Quality
- Quick Wash
- Energy-Efficient Inverter Motor
- Anti-Allergy & Anti-Virus Wash
- Hot Wash up to 95°C
- Stainless Steel Drum
- Digital LED Display
- Pump Drain System



WARRANTY: 1-Year on Parts & Service

FRONT LOAD DRYER



DRI-801 WG

8 kg ELECTRIC DRYER

Dimension (h:w:d)

85 : 59.5 : 55 cm

- Clothes Ironing Technology
- Sensor Drying
- Quick Dry
- Energy-Efficient Motor
- Heavy-Duty Quality
- Stainless Steel Drum



CLOTHES IRONING TECHNOLOGY

Removes excess wrinkles on clothes so they come out fresh and ready to wear



FULLY AUTO WASHER

HD INVERTER
HEAVY DUTY

Direct Drive Motor



- IJWA-1050VT**
10.5 kg **HD INVERTER**
Dimensions (h:w:d) 97 : 63 : 64 cm
- Variable Water Pressure Technology
 - Fabric Conditioner Dispenser
 - Large LED Display
 - Air Dry System
 - 10 Wash Programs
 - SoakWash Function
 - Eco-Saver Water Recycle Function
 - Quiet Wash
 - 10 Water Levels
 - 24-Hour Delay Start
 - Child Lock
 - Automatic Imbalance Correction
 - Adjustable Feet
 - Stainless Steel Drum
 - Titanium Gray Color
 - Automatic Power Supply Cut Off
 - Heavy-Duty Metal Body



Soft-Closing
Tempered
Glass Cover



Digital
Touch Controls

WARRANTY: 1-Year on Parts & Service



VARIABLE WATER PRESSURE TECHNOLOGY

This advanced feature lets your fully auto washer operate efficiently even with low water pressure.



IJWA-8800VT
8.8 kg **HD Inverter**
Direct Drive Motor
Dimensions (h:w:d)
95 : 56.5 : 59.5 cm

JWA-8500VT
8.5 kg
Dimension (h:w:d)
95 : 56 : 59 cm

JWA-7500VT
7.5 kg
Dimension (h:w:d)
92 : 55 : 57 cm

JWA-6500VT
6.5 kg
Dimensions (h:w:d)
89 : 53 : 53 cm

JWA-6000VT
6.0 kg **SpaceMax**
Dimensions (h:w:d)
81.4 : 49.6 : 50.7 cm

- Variable Water Pressure Technology
- Fabric Conditioner Dispenser
- Large LED Display
- Air Dry System
- 10 Wash Programs
- SoakWash Function
- Eco-Saver Water Recycle Function
- 4 Water Falls Wash (for better cleaning efficiency; except JWA6500VT & JWA6000VT)
- Quiet Wash
- 10 Water Levels
- 24-Hour Delay Start
- Child Lock
- Automatic Imbalance Correction
- Adjustable Feet
- Stainless Steel Drum
- Titanium Gray Color
- Automatic Power Supply Cut Off
- Rust-Proof Plastic Body

TWIN TUB WASHER

- EcoSoak Wash Cycle
- Tri-Jet Pulsator
- Air Dry System
- Durable See-Through Cover
- Dual Inlet Hose
- Lint Filter
- Rust-Proof Plastic Body
- Rat-Proof Base



JWT-1400 14 kg
Dimensions (h:w:d)
106.7 : 94.7 : 53.7 cm

JWT-1100 11 kg
Dimensions (h:w:d)
110.7 : 87.6 : 51 cm

JWT-801 8 kg
Dimensions (h:w:d)
89 : 77 : 49 cm

JWT-701 7 kg
Dimensions (h:w:d)
83 : 76.5 : 42 cm

JWT-601 6 kg
Dimensions (h:w:d)
83 : 74 : 42 cm

WARRANTY: 1-Year on Parts & Service

SPIN DRYER

- Stainless Steel Tub
- Air Dry System
- Advanced PowerSpin Technology
- Super Quiet Operation
- With Dual Balancer for Stability

Based on the test results of Meralco Power Lab, all Fujidenzo Spin Dryers consume **only 0.19 centavos electricity cost per use.**

*Based on Meralco Power Lab tests at setting "5" (5-minute use)



JSD-801
8 kg
Dimensions (h:w:d)
79 : 44 : 45 cm

JSD-681
6.8 kg
Dimensions (h:w:d)
75 : 43.5 : 42.5 cm

MEGA TUB WASHER

SINGLE TUB WASHER



MEGA TUB

JWS1300
13 kg
Dimensions (h:w:d)
95 : 57 : 58 cm

JWS1100
11 kg
Dimensions (h:w:d)
92.8 : 55.5 : 52.5 cm

- Energy-Efficient Copper Motor
- Heavy-Duty Quality
- Eco Soak Wash Cycle
- Tri-Jet Pulsator



BWS-780
7.8 kg
Dimensions (h:w:d)
84 : 50 : 43 cm

- Energy-Efficient Motor
- EcoSoak Wash Cycle
- 3 Brushes / 3 Scrubbers
- Jumbo Powerful Pulsator
- Lint Filter
- Heavy-Duty Design
- Triple Oval Pulsator
- Rust-Proof Plastic Body
- Rat-Proof Base
- Gray Body
- Wash Selector



JWS-680
6.8 kg
Dimensions (h:w:d)
85 : 53 : 44.5 cm

- Energy-Efficient Motor
- EcoSoak Wash Cycle
- Tri-Jet Pulsator
- Lint Filter
- Heavy-Duty Design
- Triple Oval Pulsator
- Rust-Proof Plastic Body
- Rat-Proof Base
- Gray Body
- Wash Selector

WARRANTY: 1-Year on Parts & Service

AIR CONDITIONER

Combines quality & energy efficiency

HEAVY DUTY

High Quality

Energy-Efficient Compressor



Helps Save Energy

R32
REFRIGERANT

Eco-Friendly & Highly Efficient

GOLD FIN
CONDENSER

Built to Last

Air Purifying FILTERS

Clean Air

SUPREME HD INVERTER SPLIT-TYPE AIRCON

SUPREME
HD INVERTER

R32
REFRIGERANT

SAVE UP TO

60%
ENERGY



- Supreme HD Inverter Technology
- Equipped with 5-in-1 Air Purifying Filters (HEPA, Anti-Allergy, Active Carbon, Vit. C, & High-Density Clean Air Filters)
- Advanced JetCool Technology
- Gold Fin Condenser
- ECO Mode
- Fast Cooling
- 24 Hours Timer
- Remote Control
- Wide Voltage Protection
- Dual Side Installation
- Self-Diagnosis Feature
- Dehumidifier

WARRANTY:
5-Year on Compressor /
1-Year on Parts & Service



HIS-253AG
2.5 HP • EER: 10.96
25,200 kJ / hr (6,480-25,920)
2,300 Watts

5-Star
Energy Efficiency Rating

HIS-203AG
2.0 HP • EER: 11.22
19,080 kJ / hr (4,680-19,080)
1,700 Watts

5-Star
Energy Efficiency Rating

HIS-153AG
1.5 HP • EER: 9.97
12,960 kJ / hr (4,320-14,400)
1,300 Watts

5-Star
Energy Efficiency Rating

HIS-103AG
1.0 HP • EER: 11.85
9,720 kJ / hr (2,160-11,520)
820 Watts

5-Star
Energy Efficiency Rating

HEPA FILTER

5-IN-1
Air Purifying
FILTERS

JETCOOL

SPECIFICATION SUMMARY

MODEL	HIS-253 AG	HIS-203 AG	HIS-153 AG	HIS-103 AG
Indoor unit	HIS-253 AG IN	HIS-203 AG IN	HIS-153 AG IN	HIS-103 AG IN
Outdoor unit	HIS-253 AG OD	HIS-203 AG OD	HIS-153 AG OD	HIS-103 AG OD
Horsepower (hp)	2.5 hp	2.0 hp	1.5 hp	1.0 hp
Indoor Unit Dimension (h : w : d) in mm	330 x 1082 x 233	310 x 900 x 225	285 x 750 x 200	285 x 750 x 200
Outdoor Unit Dimension (h : w : d) in mm	655 x 825 x 310	530 x 705 x 279	455 x 650 x 278	455 x 650 x 278
Rated power input kW	2.3	1.7	1.3	0.82
Volt / Phase / Hz	230V~ / 1P / 60Hz	230V~ / 1P / 60Hz	230V~ / 1P / 60Hz	230V~ / 1P / 60Hz
Gas Pipe Size (inch)	5/8	1/2	3/8	3/8
Liquid Pipe Size (inch)	1/4	1/4	1/4	1/4
Maximum Pipe Length in m	20	20	15	15
Maximum Elevation Difference bet IN / OD in m	15	15	15	15

PREMIUM INVERTER WINDOW-TYPE AIRCON

HD HEAVY DUTY
PREMIUM INVERTER

SAVE UP TO

60%
ENERGY



R32
REFRIGERANT

JETCOOL

HIGH DENSITY
Clean Air FILTER

- Full DC Inverter
- Compact Size
- Gold Fin Condenser
- 4-in-1 Air Purifying Filters (Silver Ion, Vitamin C, Anti-Allergy, and High-Density Filter)
- Highly Efficient R32 Refrigerant
- Remote Control
- Advanced JetCool Technology
- Wide Voltage Protection (140-290 V)
- Soft Start-Up
- LED Display
- Auto-On / Off Timer
- Sleep Mode
- Super Quiet Operation
- Dehumidifier
- Cleaning Reminder
- Auto Air Swing
- Precise Temp. Control
- Auto Restart
- Self-Diagnosis Feature



FULL DC INVERTER

4-IN-1
Air Purifying
FILTERS

IWAR-250G
2.5 HP • EER: 11.2
24,120 kJ / hr
2,160 Watts
Dimensions (h:w:d)
428 : 660 : 800 mm

4-Star
Energy Efficiency Rating

IWAR-200GC
2.0 HP • EER: 11.9
19,080 kJ / hr
1,606 Watts
Dimensions (h:w:d)
428 : 660 : 700 mm

5-Star
Energy Efficiency Rating

IWAR-150GC
1.5 HP • EER: 11.6
13,209 kJ/hr
1,140 Watts
Dimensions (h:w:d)
375 : 560 : 708 mm

5-Star
Energy Efficiency Rating

IWAR-100GC
1.0 HP • EER: 11.6
10,400 kJ/hr
900 Watts
Dimensions (h:w:d)
350 : 450 : 640 mm

5-Star
Energy Efficiency Rating

WARRANTY: 5-Year on Compressor / 1-Year on Parts & Service

INVERTER GRADE WINDOW-TYPE AIRCON

INVERTER GRADE

R32
REFRIGERANT

SAVE UP TO

30%
ENERGY



ECO
MODE

FILTER CLEANING
REMINDER

TIMER

- Inverter Grade R32 Refrigerant
- Gold Fin Condenser
- Remote Control with Timer
- Super Quiet Operation
- Eco Mode
- LED Display
- Auto-On / Off Timer
- Compact Size
- Dehumidifier



4-IN-1
Air Purifying
FILTERS



WAR-253AIG 2.5 HP • EER: 11.0 23,921 kJ/hr 2,180 Watts Dimensions (h:w:d) 428 : 660 : 770 mm	WAR-203AIG 2.0 HP • EER: 10.4 19,799 kJ/hr 2,200 Watts Dimensions (h:w:d) 428 : 660 : 700 mm
--	--

4-in1 Air Purifying Filters
(Silver Ion, Vitamin C, Anti-Allergy,
and High-Density Clean Air Filter)



7-IN-1
Air Purifying
FILTERS



WAR-150IGT 1.5 HP • EER: 10.62 11,988 kJ/hr 1,129 Watts Dimensions (h:w:d) 385 : 505 : 585 mm	WAR-100IGT 1.0 HP • EER: 11.34 9,072 kJ/hr 800 Watts Dimensions (h:w:d) 330 : 475 : 435 mm	WAR-750IGT 0.75 HP • EER: 10.83 7,200 kJ/hr 665 Watts Dimensions (h:w:d) 330 : 475 : 435 mm
---	--	---

7-in1 Air Purifying Filters
(HEPA, Silver Ion, Active Carbon, Vitamin C, Bio,
Anti-Allergy, High-Density Clean Air Filter)



WAR-632IGT
0.6 HP • EER: 10.5
5,400 kJ/hr
513 Watts
Dimensions (h:w:d)
306 : 406 : 390 mm

- High-Density
Clean Air Filter



WAM632IGT
0.6 HP • EER: 11.1
5,760 kJ / hr
517 Watts
Dimensions (h:w:d)
306 : 406 : 390 mm

- High-Density
Clean Air Filter

MECHANICAL CONTROL

WARRANTY: 5-Year on Compressor / 1-Year on Parts & Service

PORTABLE AIRCON WITH AIR PURIFYING FILTERS

INVERTER GRADE

R410A
REFRIGERANT


HEPA FILTER

Air Purifying
FILTERS

- Air Purifying Filters:
Bio Filter, HEPA Filter,
High-Density Filter
- Inverter Grade R410a Refrigerant
- Follow Me Technology
- Energy-Efficient Compressor
- Gold Fin Condenser
- Remote Control
- External Exhaust Pipe
- Easy to Install
- Roller Feet
- Auto Restart
- LED Display
- Self-Diagnosis
& Auto Protection

PAC150 AIG
1.5 HP • EER: 9.4
12,660 kJ / hr
1,350 Watts
Dimensions (h:w:d)
703 : 355 x 345 mm

PAC100 AIG
1 HP • EER: 8.6
9,495 kJ / hr
1,110 Watts
Dimensions (h:w:d)
703 : 355 x 345 mm



The 3-Stage Filtration System – HEPA filter, Bio filter,
and High-Density filter, helps remove even the tiniest pollutants
for a clean and healthy air quality.

WARRANTY: 5-Year on Compressor / 1-Year on Parts & Service

LIGHT COMMERCIAL AIRCON

Combines quality & energy efficiency

HEAVY DUTY

High Quality

Energy-Efficient Compressor



Helps Save Energy

R410A

REFRIGERANT

Eco Friendly & Highly Efficient

GOLD FIN
CONDENSER

Built to Last

Clean Air
FILTER

Fresh Air

FLOOR STANDING



HD HEAVY DUTY
PREMIUM INVERTER

FIP-400M
Premium Inverter
4.0 HP (3 TR)
37,982 kJ / hr
3,450 Watts
Dimension (hwd)
1825 : 540 : 410 mm

FIP-600M
Premium Inverter
6.0 HP (5 TR)
64,780 kJ / hr
5,650 Watts
Dimension (hwd)
1925 : 610 : 390 mm

INVERTER GRADE
R410A
REFRIGERANT

FPA-400IGM2
4.0 HP (3 TR)
37,982 kJ / hr
4,050 Watts
Dimension (hwd)
1825 : 540 : 410mm

CEILING SUSPENDED



HD HEAVY DUTY
PREMIUM INVERTER

FIS 400M
4 HP (3 TR)
37,872 kJ / hr
3,450 Watts
Dimensions (h:w:d)
235 : 1285 : 675 mm

CASSETTE TYPE



HD HEAVY DUTY
PREMIUM INVERTER

FIC 400M
4 HP (3 TR)
37,872 kJ / hr
3,450 Watts
Dimensions (h:w:d)
245 : 830 : 830 mm

WARRANTY: 3-Year on Compressor / 1-Year on Parts & Service

SPECIFICATION SUMMARY

MODEL	FPA-400IGM2 IN	FIP-400M IN	FIP-600M IN	FIC-400M IN	FIS-400M IN
Outdoor Model	FPA-400IGM2 OD	FIP-400M OD	FIP-600M OD	FIC-400M OD	FIS-400M OD
Power Input (kw)	4.05	3.45 (0.85-4.35)	5.65 (1.3-6.9)	5.65 (0.83-4.32)	3.45 (0.85-4.35)
EER	9.4	11.0	11.4	11.0	11.0
INDOOR SPECIFICATION					
Net Indoor Dimension (h:w:d) in mm	1825:540:410	1825:540:410	1925:610:390	245 : 830 : 830	235 : 1285 : 675
Gross Indoor Dimension (h:w:d) in mm	1965:690:565	1965:690:565	2070:765:515	290 : 910 : 910	318 : 1360 : 755
Indoor Net/Gross Weight (kg)	49.5 / 64.5	49.6 / 64.6	57.7 / 74	27/31.2	32.1/37.6
Panel Dimension (h:w:d) in mm	-	-	-	60 : 950 : 950	-
Panel Net/Gross Weight (kg)	-	-	-	6/9	-
Fuse Capacity and Breaker (A)	6	6	6	5 & 6	5 & 6
OUTDOOR SPECIFICATION					
Net Outdoor Dimension (h:w:d) in mm	810:946:410	810:946:410	1333:952:415	810 : 946 : 410	810 : 946 : 410
Gross Outdoor Dimension (h:w:d) in mm	885:1090:500	885:1090:500	1480:1095:495	855 : 1090 : 500	835 : 1090 : 500
Outdoor Net/Gross Weight (kg)	62 / 66.5	54.1 / 59.1	91.9 / 106	54.1/59.1	54.1/59.1
Breaker Capacity (A)	30	30	50	30	30
OTHER SPECIFICATIONS					
Rated Voltage/Frequency	230V, 1Ph, 60Hz	230V, 1Ph, 60Hz	230V, 1Ph, 60Hz	1 Ph, 220-240V, 60Hz	1 Ph, 220-240V, 60Hz
Refrigerant	R410A	R410A	R410A	R410a	R410a
PIPE SPECIFICATIONS					
Liquid Pipe Size (inch)	3/8	3/8	3/8	3/8	3/8
Gas Pipe Size (inch)	3/4	5/8	3/4	5/8	5/8
Max. Pipe Length (meters)	20	30	50	30	30
Max. Height Difference bet ID and OD (meters)	10	20	30	20	20

COMMERCIAL EVAPORATIVE AIR COOLER

Improves air quality in large spaces

HEAVY DUTY

Commercial Quality



Energy-Efficient Motor



High Velocity



Anti-Bacterial Filter

- Highly Efficient Honeycomb Cooling Pads
- Low Power Consumption/Energy Saving
- High-Density Filter (eliminates large allergen particles like dust and pollen as you cool)
- Digital Control
- With Remote Control
- 3-Sided Evaporative Pads (efficient and effective evaporative cooling)
- Heavy-Duty Roller Feet
- Water Level Indicator (Alarm)



- FEA7000**
- With Ionizer
 - 3 Ventilation Modes (Standard/Nature/Night)

Airflow volume:

7,000 m³/H

Suitable Area:

50-70 sqm.

Rated Power:

380 Watts

Water Storage Capacity:

90 Liters

Water Consumption:

6-10 Liters/Hour

Sound Level:

60 dB

Dimensions (h:w:d):

137 : 80 : 60 cm

With Optional Stand:

183 : 80 : 60 cm

Optional Stand (Additional P2,000)

WARRANTY: 1-Year on Parts & Service

AVR (AUTOMATIC VOLTAGE REGULATOR)

Protects your appliances from power surges



100% Copper Coil



Servo-Motor Control



Output Meter Display



Can Sustain High Voltage Fluctuations



Time-Delay Function



FVR-2000SC

2,000 VA / Watts

3 Output Sockets:

1 Socket: 110V

2 Sockets: 220V

Dimensions (h:w:d)

25 : 18 : 32 cm

- With Internal Circuit Breaker for Over-Voltage Protection



SOCKETS (Back)



FVR-1500SC

1,500 VA / Watts

4 Output Sockets:

1 Socket: 110V

3 Sockets: 220V

Dimensions (h:w:d)

16.5 : 22.5 : 24 cm

- With Fuse for Over-Voltage Protection



SOCKETS (Front)



RECOMMENDED TO USE FOR:

- Commercial Stainless Steel Freezer
- Showcase Freezer



RECOMMENDED TO USE FOR:

- Chest Freezer
- Side-by-Side Refrigerator
- Showcase Chiller
- Multi-Door Refrigerator
- Glass Top Freezer
- Inverter Washing Machine
- Wine Cooler

WARRANTY: 1-Year on Parts & Service



Quality Above All

FULL SERVICE SUPPORT

OVER 500 SERVICE CENTERS NATIONWIDE

Fujidenzo provides excellent and dedicated after-sales service for your Fujidenzo home and commercial appliances throughout the Philippines at our Authorized Service Centers. Trust us to provide you with:

- Trained technicians to repair and maintain your appliances
• High-quality spare parts that are readily available even for earlier models
• Security of fast, complete, and qualified service

MAIN AUTHORIZED SERVICE CENTER

EXCELLENCE APPLIANCE TECHNOLOGIES, INC. (632) 8230-1555 • 0917-8696111 • 0925-7372477
24 D. Tuazon St. cor. L. Castillo St.
Quezon City, 1113, Philippines
Service Excellence Help Desk

Available in all leading appliance stores nationwide

MAIN SHOWROOMS, PARTS & SERVICE LOCATIONS

Table with 3 columns: Location (MANILA, CEBU, DAVAO, CDO, BACOLOD, ILOILO, LEGAZPI, PALAWAN, ISABELA, BAGUIO), Address, and Phone Number.

Exclusively Distributed by:



www.fujidenzo.com

Like us on Facebook
Fujidenzo Appliances

